



MODEL RM3762 MODEL RM3962



USA
SERVICE OFFICE
Dometic, LLC
2320 Industrial Parkway
Elkhart, IN 46516
574-294-2511

CANADA
Dometic, LLC
46 Zatonski, Unit 3
Brantford, ON N3T 5L8
CANADA
519-720-9578

**For Service Center
Assistance Call:**
800-544-4881

INSTALLATION INSTRUCTIONS

**RAISED DOOR
PANELS**
3311065.010(X)
3311065.000(X)

Form No. 3311407.013 2009-01
(French 3311408.011)
©2009 Dometic, LLC
LaGrange, IN 46761

INSTALLATION INSTRUCTIONS

MODEL EQUIPPED WITH DOOR INSERT PANELS

Installing the door panels

The refrigerator is delivered without door panel(s). Before starting to install the panels, read these instructions thoroughly and check that the panel dimensions are in compliance with those given in the table below.

Panel dimensions max. edge thickness 7/32" (5.5mm)				
Model	Height		Width	
	max	min	max	min
RM3762 (7 cu-ft)	Panel set #3311065.010X (code in "X" position indicates panel color, see bottom of table)			
upper	17 5/32"	17 1/32"	23 7/8"	23 3/4"
	436mm	433mm	606mm	603mm
lower	32 15/32"	32 11/32"	23 7/8"	23 3/4"
	825mm	822mm	606mm	603mm
RM3962 (9 cu-ft)	Panel set #3311065.000X (code in "X" position indicates panel color, see bottom of table)			
upper	17 5/32"	17 1/32"	23 7/8"	23 3/4"
	436mm	433mm	606mm	603mm
lower	41 21/32"	41 17/32"	23 7/8"	23 3/4"
	1058mm	1055mm	606mm	603mm
Panel colors: X = A (Brushed Aluminum) X = C (Brushed Black) X = D (Roman Bronze)				


To install the door panel, follow these steps:




1. Remove the decoration strip by inserting a finger in the plastic profile and pulling.



2. Open the door 90 degrees.
3. Insert the door panel's edges into the grooves of the door frame. Push the panel sideways until the edge of the panel is fitted into the opposite side groove.



4. Snap on the decoration strip.




INSTALLATION INSTRUCTIONS

5. Insert edge of handle into groove.




6. Snap on the handle.



To replace a mounted door panel, follow these steps:



1. Detach the handle by using a flat blade screwdriver to gently push the two tabs away.



2. Remove the decoration strip, according to the previous instruction "To install the door panel...", step 1.
3. Remove the existing door panel by sliding it out.
4. Install the new panel, according to the previous instruction "To install the door panel...", steps 3-6.