



RECORD THIS INFORMATION FOR FUTURE

REFERENCE:

Model Number _____

Serial Number _____

Date Purchased _____

INSTALLATION & OPERATION INSTRUCTIONS

VACPORT™

MODEL DI-A900ELED



Read these instructions carefully. These instructions **MUST** stay with this product.

Part No. 3316178.000
1/15 ©2015
Dometic Corporation
LaGrange, IN 46761

USA
SERVICE OFFICE
Dometic Corporation
2320 Industrial
Parkway
Elkhart, IN 46516

CANADA
Dometic Corporation
46 Zatonski, Unit 3
Brantford,
ON N3T 5L8
CANADA

**SERVICE CENTER
& DEALER
LOCATIONS**
Please Visit:
www.eDometic.com

INTRODUCTION

These instructions apply to the VacPort™ (hereinafter referred to as the “unit”). The unit is designed and intended for installation and use in residential and/or recreational vehicles or other mobile applications.

These instructions will ensure the unit is properly installed.

Dometic Corporation reserves the right to modify products appearance and specifications without notice.

TABLE OF CONTENTS

INTRODUCTION	2
DOCUMENT SYMBOLS	2
IMPORTANT SAFETY INSTRUCTIONS	3
A. Recognize Safety Information	3
B. Understand Signal Words	3
C. Supplemental Directives	3
SPECIFICATIONS	4
PARTS LIST	5
TOOLS REQUIRED	5
INSTALLATION INSTRUCTIONS	6
A. VacPort Installation	6
B. Replacing ‘VacPan’ or ‘Vacu-Sweep’ with VacPort	7
OPERATING INSTRUCTIONS	8
A. VacPort Operation	8
WARRANTY INFORMATION	9
A. Dometic Limited Two-Year Warranty	9

DOCUMENT SYMBOLS

 Indicates additional information that is NOT related to physical injury.

 Indicates step-by-step instructions.

IMPORTANT SAFETY INSTRUCTIONS

This manual has safety information and instructions to help you eliminate or reduce the risk of accidents and injuries.

A. Recognize Safety Information



This is the safety alert symbol. It is used to alert you to potential physical injury hazards. Obey all safety messages that follow this symbol to avoid possible injury or death.

B. Understand Signal Words

A signal word will identify safety messages and instructions. It also indicates the degree or level of hazard.

⚠ WARNING indicates a hazardous situation that if **NOT** avoided could result in death or serious injury.

⚠ CAUTION indicates a hazardous situation that if **NOT** avoided could result in minor or moderate injury.

NOTICE is used to address practices **NOT** related to physical injury.

C. Supplemental Directives



WARNING! Read and follow all safety information and instructions to avoid possible injury or death.

Read and understand these instructions before installing, using, servicing, or performing maintenance on this product.

Incorrect installation, operation, service, or maintenance of this product can lead to serious injury. Follow all instructions. The installation **MUST** comply with all applicable local and national codes, including the latest editions of the following standards:

U.S.A.

- ANSI/NFPA70, National Electric Code (NEC)
- ANSI/NFPA1192, Recreational Vehicles Code
- Title 24 CFR, Part 3280, Manufactured Home Construction and Safety Standard

Canada

- CSA C22.1, Parts I & II, Canadian Electrical Code
- CSA Z240 RV Series, Recreational Vehicles

⚠ WARNING POTENTIAL RISK OF FIRE OR PERSONAL INJURY:

DO NOT PICK UP LIQUIDS, LIT CIGARETTES, HOT ASHES, RAZOR BLADES, NEEDLES, PINS, OR OTHER SHARP OBJECTS!

⚠ WARNING To reduce the risk of injury or death due to fire or electric shock:

1. DO **NOT** use on wet surfaces.
2. NEVER operate VacPort without a dust bag and filter in place in the vacuum cleaner.
3. KEEP hair, loose clothing, fingers, and all parts of body away from any openings and all moving parts.
4. DO **NOT** pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
5. DO **NOT** pick up flammable or combustible liquids such as gasoline, or use in areas where they may be present.


Save these instructions!

SPECIFICATIONS

Product Dimensions (W x H x D)
8.25" x 2.875" x 4.25" (209 mm x 73 mm x 108 mm)
Product Weight
3 lbs. (1.36 kg)
Trim Plate
9" x 3.75" x .25" (229 mm x 95.25 mm x 6 mm)

PARTS LIST

No.	Qty.	Description
1	1	VacPort unit
2	1	Trim plate
3	4	Phillips head screws
4	2	Wire nuts




TOOLS REQUIRED

1. Jigsaw or handsaw
2. PVC cement or equivalent
3. Phillips screwdriver

INSTALLATION INSTRUCTIONS


A. VacPort Installation

-  1. Disconnect the Central Vacuum from the power supply. Place the trim plate on wall and draw a line to cut out for VacPort installation, utilizing inside dimension of trim plate (see #1 in FIG 1).



2. Using a saw, cut out opening for the VacPort.
3. Connect the low voltage Central Vac wires to the (yellow) wires on the VacPort. Open VacPort inlet valve to make sure connection is working properly (See FIG. 2).

 If the VacPort is not working correctly, reverse the wires at the 2 wire nuts, and repeat step 5.




 The connection to the VacPort should be flexible enough so that you can pull the flexible hose and central vacuum wires out of the wall and connect both to the VacPort outside the wall.

INSTALLATION INSTRUCTIONS

4. You have 3 options to connect the VacPort (See FIG.3):
 - 1) With PVC cement, glue the elbow to the VacPort pipe. The other end connects to a black threaded pipe coupling (supplied). Do not glue this coupling just twist and press-fit into elbow. Check that you can slide the VacPort assembly into the cut-out.
 - 2) With pipe coupling, install the same way as the elbow.
 - 3) With the flexible hose, you can either connect the flexible hose directly with a hose clamp to the VacPort's pipe or connect with the black threaded coupling to the pipe coupling (2).
5. If using the trim plate (optional), attach the trim plate to the wall using two Phillips pan head screws.

Connecting the VacPort to your Central Vacuum




6. Open the VacPort inlet, and attach the VacPort to the trim plate or wall using the two Phillips flathead screws.

B. Replacing 'VacPan' or 'Vacu-Sweep' with VacPort

1. Remove old dust pan from the wall.
2. Use the same 2 screws and attach the trim plate. Use the holes "A" from the removed VacPan. Use the holes "B" from the removed the VacuSweep.

INSTALLATION INSTRUCTIONS

3. Mark the inside of the trim plate with a pencil.
4. Remove trim plate from the wall, and cut the opening larger along the pencil line.
5. Reattach the trim plate to the wall.
6. See "A. VacPort Installation #3 and #4" for attaching the 24-volt wires and flex-hose.



7. Slide the VacPort into the new opening. Secure with the 2 Phillips flat head screws and attach to the trim plate through the "C" holes.

OPERATING INSTRUCTIONS

A. VacPort Operation



1. Lift door of inlet valve using your foot to turn on.
2. Close the inlet valve with your foot to turn off.

WARRANTY INFORMATION

A. Dometic Limited Two-Year Warranty

THE SELLER NAMED BELOW MAKES THE FOLLOWING WARRANTY WITH RESPECT TO THE DOMETIC PRODUCT:

1. This warranty is made only to the first purchaser (herein after referred to as the "Original Purchaser") who acquires the product for his own use and is installed and operated within the continental United States and Canada.
2. This warranty will be in effect for two years from the date of purchase by the Original Purchaser. It is suggested that the original purchaser retain a copy of the dated bill of sale as evidence of the date of purchase.
3. This warranty covers the entire unit as well as parts, all of which shall be free from defects in material and workmanship under normal use. This warranty does not cover conditions unrelated to the material and workmanship of the product. Such unrelated conditions include, but are not limited to: (a) damage not reported within the first seven (7) days of ownership; (b) failure to follow Sellers instructions for use of product; (c) any accident to or misuse of any part of this product and any alteration by anyone other than the Seller or its authorized representative; (d) any non-Dometic parts that are installed as replacement parts will void any warranty (implied or written).
4. In order to obtain the benefits of this warranty, the original purchaser must contact Dometic/InterVac for troubleshooting the product by emailing intervac@intervacdesign.com or calling toll free 1-888-499-1925 to receive exact instruction on how to return the product which is found defective.
5. Any item returned in the manner described in paragraph 4 will be examined by the Seller or the Authorized Dometic Service Center. If it is found that the returned item was defective in material and workmanship, the Seller or the Authorized Dometic Service Center will repair or replace the product per the terms outlined in paragraph 4 or refund the purchase price paid (choice of remedy to be at Seller's sole discretion). CONFIRM THE SERVICE AGENCY IS AN AUTHORIZED DOMETIC SERVICE CENTER. DO NOT PAY THE SERVICE AGENCY FOR

WARRANTY REPAIRS. SUCH PAYMENTS WILL NOT BE REIMBURSED.

6. The Seller does not authorize any person or company to create any warranty obligations or liability on their behalf. This warranty is not extended by the length of time which you are deprived of the use of the product. Repairs and replacement parts provided under the terms of this warranty shall carry only the non-expired portion of this warranty.
7. In no event shall either seller be liable for incidental or consequential damages. This includes any damage to another product or products resulting from such a defect. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not apply.
8. Any implied warranty, including the implied warranty of merchantability and fitness for any purpose, is limited to the duration of this limited warranty. Some states do not allow limitations on how long an implied warranty can last, so the above limitation may not apply.
9. THIS WARRANTY GIVES SPECIFIC LEGAL RIGHTS; YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. No action to enforce this warranty shall be commenced later than ninety (90) days after the expiration of the warranty period. Claims must be submitted in writing to the Dometic Warranty Department for arbitration.
10. The Seller reserves the right to change the design of any product without notice and with no obligation to make corresponding changes in products previously manufactured.

Please register by completing and returning the enclosed warranty card or visit eDometic.com.

NOTES

