



Dometic
Spare parts list

When ordering parts, always state:

MODEL NO. - PRODUCT NO. - QUANTITY -

PART NO. - DESCRIPTION

For electric details also state:

VOLTAGE - WATTAGE

Add a 0 in front of part numbers with less than 10 digits

Recreational Vehicle Refrigerator

PNC	Voltage	Brand	Model	Door	Market
921131022	120V/ 60Hz AC	Dometic	RM2193	Right	CA - US
921131023	120V/ 60Hz AC	Dometic	RM2193	Left	CA - US
921131024	120V/ 60Hz AC	Dometic	RM2193	Right	CA - US
921131025	120V/ 60Hz AC	Dometic	RM2193	Right	CA - US
921131027	120V/ 60Hz AC	Dometic	RM2193	Right	CA - US
921131028	120V/ 60Hz AC	Dometic	RM2193	Left	CA - US
921131029	120V/ 60Hz AC	Dometic	RM2193	Right	CA - US

		Recreational Vehicle Refrigerator
SERVICE OFFICE USA Dometic, LLC 2320 Industrial Parkway Elkhart, IN 46516 574-294-2511 CANADA Dometic, LLC 46 Zatonski, Unit3 Brantford, ON N3T 5L8 CANADA 519-720-9578	For Service Center Assistance, Call: 800-544-4881 Publication-No. 599520378 2008/08/21 © Dometic, LLC	

Product specification 92113102200 RM2193

Technical features

Width	19.33 in
Height	21.22 in
Depth	21.42 in
Weight	20 kg

Heating element

Voltage	120 V/ 60Hz AC
Performance	115 W
Voltage	12 V/Hz DC
Performance	115 W

Fridge thermostat

Max settings	
Cut-in / cut-out	24.62 +/-2.0 // 14.0 +/-2.0 °F
Warm position	
Cut-in / cut-out	42.44 +/-2.0 // 34.52 +/-2.0 °F
Capillary length	35.43 in

Door stopper

Right

Product specification 92113102300 RM2193

Technical features

Width	19.33 in
Height	21.22 in
Depth	21.42 in
Weight	20 kg

Heating element

Voltage	120 V/ 60Hz AC
Performance	115 W
Voltage	12 V/Hz DC
Performance	115 W

Fridge thermostat

Max settings	
Cut-in / cut-out	24.62 +/-2.0 // 14.0 +/-2.0 °F
Warm position	
Cut-in / cut-out	42.44 +/-2.0 // 34.52 +/-2.0 °F
Capillary length	35.43 in

Door stopper

Left

Product specification 92113102400 RM2193

Technical features

Width	19.33 in
Height	21.22 in
Depth	21.42 in
Weight	20 kg

Heating element

Voltage	120 V/ 60Hz AC
Performance	115 W
Voltage	12 V/Hz DC
Performance	115 W

Fridge thermostat

Max settings	
Cut-in / cut-out	24.62 +/-2.0 // 14.0 +/-2.0 °F
Warm position	
Cut-in / cut-out	42.44 +/-2.0 // 34.52 +/-2.0 °F
Capillary length	35.43 in

Door stopper

Right

Product specification 92113102500 RM2193

Technical features

Width	19.33 in
Height	21.22 in
Depth	21.42 in
Weight	20 kg

Heating element

Voltage	120 V/ 60Hz AC
Performance	115 W
Voltage	12 V/Hz DC
Performance	115 W

Fridge thermostat

Max settings	
Cut-in / cut-out	24.62 +/-2.0 // 14.0 +/-2.0 °F
Warm position	
Cut-in / cut-out	42.44 +/-2.0 // 34.52 +/-2.0 °F
Capillary length	35.43 in

Door stopper

Right

Product specification 92113102700 RM2193

Technical features

Width	19.33 in
Height	21.22 in
Depth	21.42 in
Weight	20 kg

Heating element

Voltage	120 V/ 60Hz AC
Performance	115 W
Voltage	12 V/Hz DC
Performance	115 W

Fridge thermostat

Max settings	
Cut-in / cut-out	24.62 +/-2.0 // 14.0 +/-2.0 °F
Warm position	
Cut-in / cut-out	42.44 +/-2.0 // 34.52 +/-2.0 °F
Capillary length	35.43 in

Door stopper

Right

Product specification 92113102800 RM2193

Technical features

Width	19.33 in
Height	21.22 in
Depth	21.42 in
Weight	20 kg
Container load	ft ³

Heating element

Voltage	120 V/ 60Hz AC
Performance	115 W
Voltage	12 V/Hz DC
Performance	115 W

Fridge thermostat

Max settings	
Cut-in / cut-out	24.62 +/-2.0 // 14.0 +/-2.0 °F
Warm position	
Cut-in / cut-out	42.44 +/-2.0 // 34.52 +/-2.0 °F
Capillary length	35.43 in

Door stopper

Left

Product specification 92113102900 RM2193

Technical features

Width	19.33 in
Height	21.22 in
Depth	21.42 in
Weight	20 kg
Container load	ft ³

Heating element

Voltage	120 V/ 60Hz AC
Performance	115 W
Voltage	12 V/Hz DC
Performance	115 W

Fridge thermostat

Max settings	
Cut-in / cut-out	24.62 +/-2.0 // 14.0 +/-2.0 °F
Warm position	
Cut-in / cut-out	42.44 +/-2.0 // 34.52 +/-2.0 °F
Capillary length	35.43 in


Door stopper

Right

Exploded view no.: N02191T01
N00002069132

Matrix	PNC	ELC	ProdDate	Model
A	921131022	00	20040616	RM2193
B	921131023	00	20040616	RM2193
C	921131024	00	20040622	RM2193
D	921131025	00	20040616	RM2193
E	921131027	00	20080414	RM2193
F	921131028	00	20080722	RM2193
G	921131029	00	20080722	RM2193

Pos	Part No.	Matrix	Description
001	2936361407	A B C D - - -	Door,complete
001	2936361506	- - - - E F G	Door,complete
002	2951240155	A B C D - - -	Cover ledge,grey
002	2951240163	- - - - E F G	Cover ledge,black/grey
038	2951297056	A B C D - - -	Cover,upper,grey
038	2951297072	- - - - E F G	Cover,upper,black/grey
099	8212666039	A B C D E F G	User manual,RM 2191/93 EN
565D	7296279016	A B C D E F G	Countersunk screw,C 3,5x9,5




Only the spare parts which are listed, are really in the product!

(N02191G02)

Exploded view no.: N02191G02
N00012069134

Matrix	PNC	ELC	ProdDate	Model
A	921131022	00	20040616	RM2193
B	921131023	00	20040616	RM2193
C	921131024	00	20040622	RM2193
D	921131025	00	20040616	RM2193
E	921131027	00	20080414	RM2193
F	921131028	00	20080722	RM2193
G	921131029	00	20080722	RM2193

Pos	Part No.	Matrix	Description
203	2951888003	A B C D E F G	Hinge,upper left,lower right
205	2951889001	A B C D E F G	Hinge,upper right,lower left
206	2923005009	A B C D E F G	Bolt,hinge,chrome plated
207	2926265006	A B C D - - -	Bolt,hinge,chrome plated
207	2926265402	- - - - E F G	Hinge pin,variable
212	2951880109	A B C D - - -	Door lock,complete,grey
212	2951880117	- - - - E F G	Door lock,complete,black/grey
214	2951964119	A B C D - - -	Door lock,grey
214	2951964176	- - - - E F G	Door lock,black/grey
220	2412606606	A B C D E F G	Rear-evaporator,complete
229A	2951892054	A B C D E F G	Grating,bottom,zinc-plated,D=6/2,5x282x357mm
229C	2951891056	A B C D E F G	Grating,upper,zinc-plated,D=6/2,5x223x375mm
239	2951883012	A B C D - - -	Support,door lock,grey
239	2951883020	- - - - E F G	Support,door lock,black/grey
243	2951896006	A B C D E F G	Mounting rail,back,bottom
246A	2951886015	A B C D - - -	Stop rail,side
246A	2951886023	- - - - E F G	Stop rail,side,black/grey
246B	2951887013	A B C D - - -	Stop rail,upper,bottom,grey
246B	2951887021	- - - - E F G	Stop rail,upper,bottom,black/grey
565D	7296279016	A B C D - - -	Countersunk screw,C 3,5x9,5
565J	7296342012	A B C D E F G	Screw,ST4,2x13 FZ
565K	2951230008	A B C D E F G	Lens screw,Torx B4,8x19
565V	2924417021	- - - - E F G	Countersunk screw,C3,9x13




Only the spare parts which are listed, are really in the product!

(N2193AR12)

Exploded view no.: N2193AR12
N00022069135

Matrix	PNC	ELC	ProdDate	Model
A	921131022	00	20040616	RM2193
B	921131023	00	20040616	RM2193
C	921131024	00	20040622	RM2193
D	921131025	00	20040616	RM2193
E	921131027	00	20080414	RM2193
F	921131028	00	20080722	RM2193
G	921131029	00	20080722	RM2193

Pos	Part No.	Matrix	Description
401	2951893102	A B C D E F G	Shield,Control panel
402	2923334458	A B C D E F G	Turning knob,gas regulator valve,gre
403A	2923468355	A B C D E F G	Turning knob,thermostat,gre
405	2951433107	A B C D E F G	Switch,without,lighting,230V
406	2951398201	A B C D E F G	Switch,without,lighting,12V
407	2923815167	A B C D E F G	Frame,Switch,gre
409	2952005003	A B C D E F G	Canopy,electric,black,USA
411A	2926528031	A B C D E F G	Thermostat,electric,L=900
412	2927881009	A B C D E F G	Hexagon nut,for,thermostat,M 10x0,75
415B	2923466045	A B C D - - -	Terminal board,three-pole,4mm ²
415B	2413255015	- - - - E F G	Terminal board,3-pol, 4mm ²
417A	2926560000	A B C D E F G	Anti-strain clip,black
421B	2951955109	A B C D E F G	Gas regulator valve,USA
422	2923676007	A B C D E F G	Nut,M12x1
425	2951945001	A B C D E F G	Gas inlet pipe
428	2923435230	A B C D E F G	Thermo element,L=450
438	2923024109	A B C D E F G	Piezo lighter,Typ 1174-03 RV 381
442A	2951918040	A B C D E F G	Ignition cable,white,L=350mm
446	2951917000	A B C D E F G	Heater,12V/115W
446	2951996012	A B C D E F G	Heater,110V/115W
477	2923191007	A B C D E F G	Filter,for,gas connection
489	2951900105	A B C D E F G	Plate,electric,gas
500	2106030105	- - - - E F G	Magnet insert,mountings,compact




Only the spare parts which are listed, are really in the product!

(N2191AG03)

Exploded view no.: N2191AG03
N00032069133

Matrix	PNC	ELC	ProdDate	Model
A	921131022	00	20040616	RM2193
B	921131023	00	20040616	RM2193
C	921131024	00	20040622	RM2193
D	921131025	00	20040616	RM2193
E	921131027	00	20080414	RM2193
F	921131028	00	20080722	RM2193
G	921131029	00	20080722	RM2193

Pos	Part No.	Matrix	Description
101	2936360110	A B C D - - -	Cooling unit,complete,12V/115W, 110V/115W
101	2936360607	- - - - E F G	Cooling unit,complete,12V/115W, 110V/115W
102	2926212602	A B C D E F G	Helix,complete
103	2924082205	A B C D E F G	Mantle,cooker
104	2926680139	A B C D E F G	Cooker insulation
105	2924979004	A B C D E F G	Bezel,cooker,mantle
106	2924089002	A B C D E F G	Bezel,bottom,cooker
108	2923430603	A B C D - - -	Burner,service
108	2923430512	- - - - E F G	Burner,without,nozzle,Service
110	2922033044	A B C D E F G	Nozzle,gas burner,KZ 45
111	2923626002	A B C D E F G	Spark plug,Fa. Junkers
114	2952083018	A B C D E F G	Cover,complete,burner,PIEZO, USA
117	2952444301	A B C D E F G	T-piece,complete,L=55mm
125	2952435408	A B C D E F G	Lens screw,M4x6
126	2926559036	A B C D E F G	Lock washer,A 4,3
327	2106626100	A B C D E F G	Nut,plate,BM ST 4,8



(N292682750EN)

Z.Nr.: 292 6827-50

(2193 S02)