



Dometic

Dometic Spare parts list

When ordering parts, always state:

MODEL NO. - PRODUCT NO. - QUANTITY -

PART NO. - DESCRIPTION

For electric details also state:

VOLTAGE - WATTAGE

Add a 0 in front of part numbers with less than 10 digits

Refreshment Center

PNC	Voltage			Brand	Model	Door	Market
921088468	120V/	60Hz	AC	Dometic	HIPRO4000	Right	CA - US
921088491	120V/	60Hz	AC	Dometic	HIPRO4000	Right	CA - US
921088494	120V/	60Hz	AC	Dometic	HIPRO4000	Left	CA - US
921088498	120V/	60Hz	AC	Dometic	HIPRO4000	Right	CA - US
921088517	120V/	60Hz	AC	Dometic	HIPRO4000	Right	CA - US
921088582	120V/	60Hz	AC	Dometic	HIPRO4000	Left	CA - US

		Refreshment Center
SERVICE OFFICE USA Dometic Corporation 2320 Industrial Parkway Elkhart, IN 46516 CANADA Dometic Corporation 46 Zatonski, Unit3 Brantford, ON N3T 5L8 CANADA	For Technical Assistance, Call: 800-216-5115 Publication-No. 599766503 2015/04/08 © Dometic Corporation	

Product specification 92108846800 HIPRO4000

Dimensions (HxLxD)

Height	22.00 (23.66) in
Width	15.94 in
Depth	17.80 (18.58) in
Weight	13,5 (14,5) kg

Fuzzy Logic

Temperature	32/50/59/68 °F
Resistance	27.7/18.1/14.7/12.1 +/- 2% kOhm

Heating element

Voltage	120 V/ 60Hz AC
Performance	65 W

Door stopper

Right

Product specification 92108849100 HIPRO4000

Dimensions (HxLxD)

Height	22.00 (23.66) in
Width	15.94 in
Depth	17.80 (18.58) in
Weight	13,5 (14,5) kg

Fuzzy Logic

Temperature	32/50/59/68 °F
Resistance	27.7/18.1/14.7/12.1 +/- 2% kOhm

Heating element

Voltage	120 V/ 60Hz AC
Performance	65 W

Door stopper

Right

Product specification 92108849400 HIPRO4000

Dimensions (HxLxD)

Height	22.00 (23.66) in
Width	15.94 in
Depth	17.80 (18.58) in
Weight	13,5 (14,5) kg

Fuzzy Logic

Temperature	32/50/59/68 °F
Resistance	27.7/18.1/14.7/12.1 +/- 2% kOhm

Heating element

Voltage	120 V/ 60Hz AC
Performance	65 W

Door stopper

Left

Product specification 92108849800 HIPRO4000

Dimensions (HxLxD)

Height	22.00 (23.66) in
Width	15.94 in
Depth	17.80 (18.58) in
Weight	13,5 (14,5) kg

Fuzzy Logic

Temperature	32/50/59/68 °F
Resistance	27.7/18.1/14.7/12.1 +/- 2% kOhm

Heating element

Voltage	120 V/ 60Hz AC
Performance	65 W

Door stopper

Right

Product specification 92108851700 HIPRO4000

Dimensions (HxLxD)

Height	22.00 (23.66) in
Width	15.94 in
Depth	17.80 (18.58) in
Weight	13,5 (14,5) kg

Fuzzy Logic

Temperature	32/50/59/68 °F
Resistance	27.7/18.1/14.7/12.1 +/- 2% kOhm

Heating element

Voltage	120 V/ 60Hz AC
Performance	65 W

Door stopper

Right

Product specification 92108858200 HIPRO4000

Dimensions (HxLxD)

Height	22.00 (23.66) in
Width	15.94 in
Depth	17.80 (18.58) in
Weight	13,5 (14,5) kg

Fuzzy Logic


Temperature	32/50/59/68 °F
Resistance	27.7/18.1/14.7/12.1 +/- 2% kOhm

Heating element

Voltage	120 V/ 60Hz AC
Performance	65 W

Door stopper

Left




(PHPT02USA)

Only the spare parts which are listed, are really in the product!

Exploded view no.: PHPT02USA
P00003071762

Matrix	PNC	ELC	ProdDate	Model
A	921088468	00	20130422	HIPRO4000
B	921088491	00	20130924	HIPRO4000
C	921088494	00	20130924	HIPRO4000
D	921088498	00	20130924	HIPRO4000
E	921088517	00	20140127	HIPRO4000
F	921088582	00	20150407	HIPRO4000

Pos	Part No.	Matrix	Description
-	2106821412	A - - D E F	Retrofit kit,Catch,HUWIL-LOCK, VISION
001	2412855757	A - - - - -	Door,complete,light grey,VISION
001	2412855799	- B - - - -	Door,complete,blue,VISION
001	2412855708	- - C - - -	Door,complete,light blue,"VISION"
001	2412855823	- - - D E F	Door,complete,transparent,VISION
020	2952077747	- B C - - -	Catch,complete,D=18mm
021	2951835103	- B C - - -	Key,complete,DOMETIC, HUWIL
035	2926142114	A B C D E F	Door handle,charcoal-grey,NCS S-8502B
042	2951686308	A - - D E F	Cover,without,Catch,VISION
056	2412819134	A B C D E F	Magnetic seal,door,black



Only the spare parts which are listed, are really in the product!



(PHPG02USA)

Exploded view no.: PHPG02USA
P00013071764


Matrix	PNC	ELC	ProdDate	Model
A	921088468	00	20130422	HIPRO4000
B	921088491	00	20130924	HIPRO4000
C	921088494	00	20130924	HIPRO4000
D	921088498	00	20130924	HIPRO4000
E	921088517	00	20140127	HIPRO4000
F	921088582	00	20150407	HIPRO4000

Pos	Part No.	Matrix	Description
204	2412816015	A B C D E F	Hinge,bottom,charcoal-grey,NCS-S8502B
229H	2412811008	A B C D E F	Grating,long,blue,14,5x220x307,5mm
240	2412850006	A B C D E -	Lighting,complete,white,LED
240	2412850022	- - - - - F	Lighting,complete,white,LED
241	2412833028	A B C D E -	Electronic,lighting,PCB
241	2412833036	- - - - - F	Electronic,lighting,PCB
248C	2923677302	- B C - - -	Catch,cabinet,side
292	2412820017	A B C D E F	Cover cap,charcoal-grey,NCS S-8502B
304	2412839207	A B C D E F	Diode,complete
306	2412824001	A B C D E F	Cover,sensor,white
307	2952248306	A B C D E F	Sensor,L=750mm
307A	2952248405	A B C D E F	Sensor,rear-evaporator,L=750mm
325	2412812204	A B C D E F	Fixing bar,grating,L=210mm
339	2106094408	- - C - - -	Led,complete


307B




107




496




409



569



446



Only the spare parts which are listed, are really in the product!

Exploded view no.: PHPE01USA
P00023071765

Matrix	PNC	ELC	ProdDate	Model
A	921088468	00	20130422	HIPRO4000
B	921088491	00	20130924	HIPRO4000
C	921088494	00	20130924	HIPRO4000
D	921088498	00	20130924	HIPRO4000
E	921088517	00	20140127	HIPRO4000
F	921088582	00	20150407	HIPRO4000

Pos	Part No.	Matrix	Description
-	2952983019	A B C D E F	Remote control,4 key
-	2952983100	A B C D E F	Remote control,1 key
107	2923709006	A B C D E F	Evaporation tray
409	2412826303	A B C D - -	Cover,electric,USA
409	2412826204	- - - - E F	Cover,electric
446	2952143796	A B C D E F	Kit,heater,fixing,120V/65W, USA
496	2413363611	A B C D E -	Electronic board,complete,100-140V
496	2413363637	- - - - - F	Electronic,complete,100-140V
569	2412840130	A B C D E F	Connection wiring,black,UL/MEXICO, L=2500mm