


Diagnostic Table of Contents

Pg 2	Door Check
Pg 3	Door Flushness
Pg 4,5,6	Door Rattle
Pg 7,8	Door Will Not Open
Pg 9,10,11	High Closing Effort
Pg 12,13,14	High Opening Effort
Pg 15	Screendoor Gap
Pg 16,17,18	Wind Noise


Door Check Diagnostic


Pg 1 of 1



Door Flushness Diagnostic


Pg 1 of 1



Pg 1 of 3Pg 1 of 3


Door Rattle Diagnostic

Pg 2 of 3




Door Rattle Diagnostic

Pg 3 of 3




Door Flutter Diagnostic

Page 1 of 1




Door Will Not Open Diagnostic

Pg 1 of 2




Door Will Not Open Diagnostic

Pg 2 of 2




High Closing Effort Diagnostic

Pg 1 of 3




High Closing Effort Diagnostic

Pg 2 of 3




High Closing Effort Diagnostic

Pg 3 of 3




High Opening Effort Diagnostic

Pg 1 of 3




High Opening Effort Diagnostic

Pg 2 of 3




High Opening Effort Diagnostic

Pg 3 of 3



Screendoor Gap Diagnostic


Pg 1 of 1



Wind Noise Diagnostic


Pg 1 of 3

- 1.) Drive the coach and listen for the reported wind noise. Note the speed and conditions, (i.e. cross winds, truck passing, etc.)
- 2.) Have a second person apply 2" masking tape on the exterior of the door to fully cover the door gaps and hinges.
- 3.) Drive the coach again at the same speed and conditions at which the wind noise was detected.



Wind Noise Diagnostic

Pg 2 of 3



Wind Noise Diagnostic

Pg 3 of 3

