





80051, 80055, 80056

82311, 82315

Part #	Description	Rated Capacity LBS.
80051	2" Ball, 3" Channel, Bolt-On Painted	3,500
80055	2" Ball, 3" Channel, Bolt-On Zinc Plated	3,500
80056	2" Ball, 3" Channel, Weld-Between, Unpainted	3,500
82311	2" Ball, Painted, Weld-Between	3,500
82315	2" Ball, Unpainted, Weld-Between	3,500
80060	2" Ball, 3" Channel, Painted	5,000
80082	2" Ball, 2" Channel, Painted	5,000
80083	2" Ball, 2" Channel, Unpainted	5,000
80186	2" Ball, 2" Channel, Painted	6,000
80131	2 5/16" Ball, 3" Channel, Painted	8,500

*B D



81911 - 81913, 81915
81916, 81918

82680


80

Part #	Description	Rated Capacity LBS.
80072	2" Ball, Painted, Weld-On, Yoke Style	5,000
84176	2" Ball, Unpainted, Weld-On, Yoke Style Zinc Latch	5,000
84800	2" Ball, Painted, Weld-On, Yoke Style	6,000

88555	2" Ball, Painted, Weld-On Flip Latch Style	8,000
88600	2" Ball, Unpainted, Weld-On, Flip Latch Style	8,000
80101 (D)	2 5/16" Ball, Painted, Weld-On, Yoke Style - Side Lock	8,500
88007	2 5/16" Ball, Painted, Weld-On, Flip Latch Style	10,000
88010	2 5/16" Ball, Unpainted, Weld-On, Flip Latch Style	10,000
81911	2 5/16" Ball, Painted, Weld-On, Thumb Latch Style	10,000
81915	2 5/16" Ball, Unpainted, Weld-On, Thumb Latch Style	10,000
81912	2 5/16" Ball, Painted, Weld-On, Thumb Latch Style	13,000
81916	2 5/16" Ball, Painted, Weld-On, Thumb Latch Style W/Plate	15,000
82680 (A)(C)	2 5/16" Ball, Painted, Weld-On, Thumb Latch Style W/Plate	13,000
82681 (B)(C)	2 5/16" Ball, Painted, Weld-On, Thumb Latch Style	13,000
81913	2 5/16" Ball, Unpainted, Weld-On, Thumb Latch Style	13,000
81918	2 5/16" Ball, Painted, Weld-On, Thumb Latch Style	15,000

(B) 82681 cou
(C) Top plate 22375 can also be used with
(t

Part #	Description	Rated Capacity LBS.
84035	2" Ball, Painted, Weld-On, Yoke Style	5,000
88000	2" Ball, Old Style Marvel	-
88005	2 5/16" Ball, Old Style Marvel	-



Part #	Description	Rated Capacity LBS.
80355		15,000
80308		15,000
81906		15,000

75074

25,000

Atwood Specialty Couplers - Mo

Part #	Description	Rated Capacity LBS.
--------	-------------	---------------------

83461		32,000
-------	--	--------

83551		32,000
-------	--	--------

84140		40,000
-------	--	--------

84060		40,000
-------	--	--------

83462		44,000
-------	--	--------

83549		44,000
-------	--	--------

84102		32,000
-------	--	--------

Part #	Description	Rated Capacity LBS.
--------	-------------	---------------------

Part #	Description	Rated Capacity LBS.
--------	-------------	---------------------

80075		5,000
-------	--	-------

80291		12,000
-------	--	--------

80073		5,000
-------	--	-------


80281		12,000
-------	--	--------

80285		12,000
-------	--	--------

80290		12,000
-------	--	--------

Couplers

Atwood Straight Tongue Couplers



80060


80082, 80083, 80186

801

S.A.E Class	Latch Kit Part #	A		B*		C	
		IN	MM	IN	MM	IN	MM
2	15775	9 3/8	238	3	76	11	279
2	15775	9 3/8	238	3	76	11	279
2	15775	9 3/8	238	3	76	11	279
2	15775	7 5/8	194	3	76	9 1/4	235
2	15775	7 5/8	194	3	76	9 1/4	235
3	15775	9 3/8	238	3	76	11	279
3	15775	9 1/2	241	2	51	11	279
3	15775	9 1/2	241	2	51	11	279
3	15775	9 1/2	241	2	51	11	279
4	_07532	12	305	3 1/8	79	14	356

dimension is the inside dimension relating to channel size.

Atwood A-Frame Couplers



072, 84176, 84800

84035

80101

88007, 8

S.A.E Class	Latch Kit Part #	A		B*		C	
		IN	MM	IN	MM	IN	MM
3	15775	12 3/8	314	9 1/4	235	14	356
3	15775	12 3/8	314	9 1/4	235	14	356
3	15775	12 3/8	314	9 1/4	235	14	356

4	88051	9 7/8	251	9 3/4	248	11 7/8	302
4	88051	9 7/8	251	9 3/4	248	11 7/8	302
4	15774	12	305	10	254	14	356
4	88061	10 7/8	276	10 3/8	264	13	330
4	88061	10 7/8	276	10 3/8	264	13	330
4	N/A	11	279	10 7/8	276	12 3/4	324
4	N/A	11	279	10 7/8	276	12 3/4	324
4	N/A	11	279	10 5/8	270	12 3/4	324
4	N/A	11	279	10 5/8	270	12 3/4	324
4	N/A	11	279	10 5/8	270	13 1/8	333
4	N/A	11	279	10 5/8	270	13 1/8	333
>4	N/A	11 1/2	292	11	279	12 1/2	318
>4	N/A	11 1/2	292	11	279	12 1/2	318

(A) Top plate 82740 is packed with 82680

Coupler is the same as 82680, except it is packed w/o a support plate


82680 or 82681 coupler if a top mount A-Frame jack (5,000 lbs. max) is used in this application

(D) 80101 is the ONLY A-Frame coupler with a side lock

Obsolete Atwood A-Frame Couplers

S.A.E Class	Latch Kit Part #	A		B*		C	
		IN	MM	IN	MM	IN	MM
3	15775	13 3/8	340	10 3/8	264	14 7/8	378
-	88050	-	-	-	-	-	-
-	88060	-	-	-	-	-	-

Atwood Specialty Couplers



S.A.E Class	Latch Kit Part #	A		B*		C	
		IN	MM	IN	MM	IN	MM
-	-	2	51	9 1/3	237	-	-
-	-	2	51	13 1/3	339	-	-
-	_07532	7 1/4	184	2 4/5	76	9 1/4	235


- - 6 153 4 1/2 114 6 3/4 171

bile Home Only - 2 5/16" Ball, Straddlemount, Thumb Latch - Single Use

S.A.E Class	Latch Kit Part #	A		B*		C	
		IN	MM	IN	MM	IN	MM
-	-	8	203	6 7/8	175	9 7/8	251
-	-	8	203	7 7/8	200	9 7/8	251
-	-	8	203	6 7/8	175	9 7/8	251
-	-	8	203	7 7/8	200	9 7/8	251
-	-	8	203	7 7/8	200	9 7/8	251
-	-	8	203	6 7/8	175	9 7/8	251
-	-	8	203	6 7/8	175	9 7/8	251


Obsolete Atwood Specialty Couplers

S.A.E Class	Latch Kit Part #	A		B*		C	
		IN	MM	IN	MM	IN	MM
3	15775	13 3/8	340	10 3/8	264	14 7/8	378
-	_07532	4 1/2	114	3 1/8	80	6 1/2	165
3	15775	12 3/8	314	9 1/4	235	14	356
-	_07532	7	178	3	76	9	229
-	-	2	51	7 1/2	191	-	-
-	_07532	7	178	3	76	9	229



31

D		E		F	
IN	MM	IN	MM	IN	MM
7/8	22	3/4	19	3	76
7/8	22	3/4	19	3	76
7/8	22	3/4	19	3	76
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



88010, 88555, 88600
88000, 88005

D		E		F	
IN	MM	IN	MM	IN	MM
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

D	E	F			
IN	MM	IN	MM	IN	MM
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-



2
4



34060

D	E	F			
IN	MM	IN	MM	IN	MM
-	-	-	-	-	-
-	-	-	-	-	-
-	-	-	-	-	-

