




↗ DOMETIC REFRIGERATION MYFRIDGE



MF6W

EN

Refrigerator
Operating manual



Please read this instruction manual carefully before first use, and store it in a safe place. If you pass on the product to another person, hand over this instruction manual along with it.

Contents

1	Explanation of symbols	3
2	Safety instructions	4
3	Scope of delivery	6
4	Intended use	6
5	Technical description	6
6	Using the refrigerator	7
7	Cleaning and maintenance	9
8	Guarantee	10
9	Disposal	10
10	Technical data	11

1 Explanation of symbols



WARNING!

Safety instruction: Failure to observe this instruction can cause fatal or serious injury.



CAUTION!

Safety instruction: Failure to observe this instruction can lead to injury.



NOTICE!

Failure to observe this instruction can cause material damage and impair the function of the product.



NOTE

Supplementary information for operating the product.

2 Safety instructions

The manufacturer accepts no liability for damage in the following cases:

- Faulty assembly or connection
- Damage to the product resulting from mechanical influences and excess voltage
- Alterations to the product without express permission from the manufacturer
- Use for purposes other than those described in the operating manual

2.1 General safety



WARNING!

- Do not operate the device if it is visibly damaged.
- This device may only be repaired by qualified personnel. Improper repairs can lead to considerable hazards.
- Persons (including children) whose physical, sensory or mental capacities or whose lack of experience or knowledge prevent them from using this product safely should not operate it without the supervision or instruction of a responsible person.
- **Electrical devices are not toys.**
Always keep and use the device out of the reach of children.
- Children must be supervised to ensure that they do not play with the device.
- If this device's power cable is damaged, it must be replaced by the manufacturer, customer service or a similarly qualified person in order to prevent safety hazards.
- Do not store any explosive substances such as spray cans with propellants in the device.



CAUTION!

- Disconnect the device from the mains
 - before cleaning and maintenance
 - after use
- Food may only be stored in its original packaging or in suitable containers.

**NOTICE!**

- Check that the voltage specification on the type plate corresponds to that of the energy supply.
- The cooling device is not suitable for transporting caustic materials or materials containing solvents.
- Never pull the plug out of the socket by the cable.
- Disconnect the cooler and other power consuming devices from the battery before connecting the quick charging device.
- Disconnect the cooler or switch it off when you turn off the engine. Otherwise you may discharge the battery.

2.2 Operating the device safely

**WARNING!**

- Do not touch exposed cables with your bare hands.

**CAUTION!**

- Before starting the device, ensure that the power supply line and the plug are dry.

**NOTICE!**

- Do not use electrical devices inside the cooler unless they are recommended by the manufacturer for the purpose.
- Do not place the device near open flames or other heat sources (heaters, direct sunlight, gas ovens etc.).
- **Danger of overheating!**
Ensure at all times that there is sufficient ventilation so that the heat that arises during operation does not build up. Make sure that the device is sufficiently far away from walls and other objects so that the air can circulate.
- Ensure that the ventilation slots are not covered.
- Do not fill the inner container with ice or fluid.
- Never immerse the device in water.
- Protect the device and the cable against heat and moisture.

3 Scope of delivery

Quantity	Description
1	Refrigerator
1	Power supply adapter with AC cable
1	12 V DC cable
1	Operating manual
3	Shelves

4 Intended use

The refrigerator is suitable for cooling six bottles of wine or foodstuffs.



CAUTION! Health hazard!

Please check if the cooling capacity of the device is suitable for storing the food or medicine you wish to cool.

5 Technical description

The refrigerator is designed to be operated from a 230 V power supply connection or a 12 V socket.

Two buttons allow you to set the desired temperature within a range from +5 °C to +20 °C. A display shows both the desired and the current cooling temperature. The interior light can be switched on as needed.

All materials used in the refrigerator are compatible for use with foodstuffs.

The refrigerator has the following control elements:

No. in fig. 1, page 2	Explanation
1	Display
2	Buttons
3	Electrical power connection

The refrigerator has the following buttons:

No. in fig. 2, page 2	Symbol	Explanation
1		Switches the refrigerator on or off.
2		Switches the interior light on or off.
3	 –	Decreases the desired cooling temperature by 1 °C.
4	+ 	Increases the desired cooling temperature by 1 °C.



NOTE

You can switch the temperature display between Celsius and Fahrenheit. To do this, press the +  button and  – button simultaneously for three seconds.

6 Using the refrigerator



NOTE

Before you switch on your new refrigerator for the first time, you should clean it on the inside and outside with a damp cloth for hygienic reasons (please also refer to chapter “Cleaning and maintenance” on page 9).

6.1 Energy saving tips

- Choose a well ventilated location which is protected from direct sunlight.
- Allow warm food to cool down first before placing it in the cooling device to keep cool.
- Do not open the cooling device more often than necessary.
- Do not leave the cooling device open for longer than necessary.

6.2 Connecting the refrigerator



WARNING!

Never handle plugs and switches if you have wet hands.

- Before you start up the device, verify that the operating voltage matches the power supply voltage (see type plate).
- Connect the device as follows:
 - With the supplied AC adapter to the 230 V AC power supply
 - With the 12 V lead supplied to a 12 V socket

6.3 Using the refrigerator



NOTICE!

Food may only be stored in its original packaging or in suitable containers.

- Switch the refrigerator on by pressing the ① button (fig. **2** 1, page 2).
 - ✓ The display switches on and shows the current temperature.
- Switch the refrigerator off by pressing the ① button (fig. **2** 1, page 2).
 - ✓ The display switches off.
- If you wish to turn the interior light on or off, press the  button (fig. **2** 2, page 2).

Setting the temperature

You can set the temperature within a range from +5 °C to +20 °C.



NOTE

The cooling capacity can be influenced by:

- The ambient temperature
- The number of bottles to be cooled
- The frequency with which the door is opened

- Press the +  button (fig. **2** 4, page 2) to **increase** the desired cooling temperature by 1 °C, or press the  – button (fig. **2** 3, page 2) to **decrease** the desired cooling temperature by 1 °C.
- ✓ The cooling temperature set at °C or F° then appears in the display for a few seconds.

7 Cleaning and maintenance



NOTICE!

Do not use abrasive cleaning agents or hard objects during cleaning as these can damage the refrigerator.

- As soon as the refrigerator becomes dirty, clean it with a damp cloth.



NOTE

The interior racks can be removed to facilitate cleaning.

- Make sure that no water drips into the sealing. This can damage the electronics.
- Wipe the refrigerator dry with a cloth after cleaning.
- Regularly empty the condensation trap on the bottom of the device. To do this, open the door and pull the condensation trap completely out of the device (fig. **3**, page 2).

8 Guarantee

The statutory warranty period applies. If the product is defective, please contact the manufacturer's branch in your country (see the back of the instruction manual for the addresses) or your retailer.

For repair and guarantee processing, please include the following documents when you send in the device:

- A copy of the receipt with purchasing date
- A reason for the claim or description of the fault

9 Disposal

- Place the packaging material in the appropriate recycling waste bins wherever possible.



If you wish to finally dispose of the product, ask your local recycling centre or specialist dealer for details about how to do this in accordance with the applicable disposal regulations.

10 Technical data

	MF6W
Ref. no.:	9600005571
Connection voltage:	12 V=== 230 V~ (with supplied AC adapter)
Power consumption:	36 W (12 V===) 48 W (230 V~)
Cooling temperature range:	+5 °C to +20 °C
Gross capacity:	18 l
Usable capacity:	16 l
Bottle length:	32 cm
Noise emission (sound power):	41 dB
Dimensions (W x H x D):	260 x 415 x 470 mm
Weight:	approx. 7.2 kg

Mobile living made easy.



dometic.com

**YOUR LOCAL
DEALER**

dometic.com/dealer

**YOUR LOCAL
SUPPORT**

dometic.com/contact

**YOUR LOCAL
SALES OFFICE**

dometic.com/sales-offices

A complete list of Dometic companies, which comprise the Dometic Group, can be found in the public filings of:
DOMETIC GROUP AB Hemvärnsgatan 15 SE-17154 Solna Sweden