

AWNINGS, FABRICS & ACCESSORIES

PRODUCT TRAINING

FEBRUARY 2021



Mobile living made easy.




HOUSEKEEPING



Welcome To Training

Dana Bright, Product Training Manager

- **MUTED** during training
- **QUESTIONS** during training, send **Privately** or **Send to All**
- **QUESTIONS** after training, email me at training@dometic.com
- **DURATION** '1' hour
- **FREQUENCY** '1' per month




DOMETIC FOR BUSINESS

the new B2B eCommerce Dealer Portal


1. Go to www.dometic.com
Select **FOR BUSINESS** at top of page and LOGIN
2. Click **RESOURCES** tab
Select **Training Videos** for RECORDED WEBINARS
Select **Register for Training** for webinar calendar invite


On HOME PAGE of D4B website, scroll down to **TRAINING WEBINAR** tile, select **CLICK HERE**

Knowledge is power, so why not attend our monthly product webinars? Sign up by registering in the link below, don't forget to accept the invite into your calendar when you receive the confirmation e-mail.

[Register for Training](#) 

Best of all, live training sessions are recorded and made available to watch at your leisure by clicking the past training's button. Enter this password Training2020! when prompted.

[Past Training Sessions](#) 



The screenshot displays the Dometic For Business website interface. The top navigation bar includes links for PRODUCTS, QUICK ORDER, ACCOUNT, SUPPORT, and RESOURCES (highlighted with a red circle). A search bar is located below the navigation bar. The main content area is divided into sections: RESOURCES, CUSTOMER RESOURCE CENTER, TRAINING TOOLS, and NEWS. The TRAINING TOOLS section features a yellow box with links for Training Videos and Register for Training. Below this, there are three large tiles for training webinars: Awnings & Fabrics Training Webinar, Announcing RV Partfinder Now on D4B!, and Exciting New D4B Enhancements. Each tile includes a 'CLICK HERE' button and details about the webinar, including the date and location.

RESOURCES

- Recreational Vehicle
- Marine
- Outdoor
- Commercial Passenger Vehicle
- Lodging

CUSTOMER RESOURCE CENTER

- Product & Repair Videos
- Brand & Media Tools
- Marketing Tools
- Social Media

TRAINING TOOLS

- Training Videos
- Register for Training

NEWS

AWNINGS & FABRICS TRAINING WEBINAR

2/19/2021

DOMETIC 2021 Awnings, Fabrics & Accessories Training (February 25)

ELKHART, Ind. - February 19, 2021 - Learn to sell like a pro.

ANNOUNCING RV PARTFINDER NOW ON D4B!

8/12/2020

RV PARTFINDER NOW ON DOMETIC FOR BUSINESS

ELKHART, IN. - August 12, 2020 - Dometic has partnered with RV Partfinder to provide an even better e-commerce experience on Dometic For Business.

EXCITING NEW D4B ENHANCEMENTS

7/16/2020

NEW DOMETIC FOR BUSINESS (D4B) ENHANCEMENTS

ELKHART, Ind. - July 16, 2020 - New Dometic for Business Enhancements - Version 1.7.3

AGENDA

- Dometic Awning History
- Say Goodbye To Damaged Awnings
- Patio Awning Family
 - Manual / Power / Bag
- Case Awning Family
 - Manual / Power
- Power Awning Accessories
- Awning Fabrics
- Dometic Value Proposition / Comparison Chart
- RV Aftermarket Top Sellers
- Marketing & Sales Resources
- Customer Service FAQs / Responses
- Questions



MOTORHOME AWARDS

HVAC - Gold
Awnings - Silver
Water Heater - Gold
Refrigerator - Gold
Toilet - Gold

+ 165,000 monthly subscribers




TRAILER LIFE AWARDS

Awnings - Silver
HVAC - Gold
Water Heater - Gold
Refrigerator - Gold
Toilet - Gold

+ 260,000 monthly subscribers

DOMETIC AWNING HISTORY

This slide depicts Dometic's longevity and proven leadership in the industry.



- 1973 A&E Plastic Pack purchased the “EZ-AWN” Company, the subsidiary A&E Systems was established
- 1975 A&E Systems sales had accumulated to \$1 million in sales
- 1975 the 4000 Series box and 5000 Series patio awnings were launched
- 1979 introduced the lightweight Travel Lite 7000 Series and the 8000 Series patio awnings
- 1980 the Travel Lite 7000 was renamed the Regency 7000 Series
- 1981 A&E Plastic Pack sells off A&E Systems
- 1982 the 8500 Series awning hits the market
- 1987 saw the introduction of the 9000 Series awning
- 1988 Dometic purchases A&E Systems
- 2021 introducing Brisk II Evolution, and a new line of ACs called FreshJet

Dometic continues to offer a wide variety of Manual and Power Patio Awnings

SAY GOODBYE TO DAMAGED AWNINGS “TANK PACKAGING”

Dometic developed “tank packaging” to rid the world of damaged awning deliveries – single packs only

Navigating the freight/shipment jungle to help restore our Dealers’ confidence that a ‘Dometic’ awning is one that will arrive unharmed

Multiple layers of corrugated cardboard protect the precious cargo during its journey thru shipment jungle

Benefits of corrugated cardboard

- Protective packaging
- Structurally stable
- Superior cushion





PATIO AWNING FAMILY

Mobile living made easy.

 **DOMETIC**

PATIO AWNING FAMILY


(Good)



Manual Patio

- Sunchaser Patio (OE only)
- 8500 Patio
- 9000 Patio
- 9500 Case
- Trimline Bag & Screen Room

(Better)



Power Patio

- 9200 Patio (entry level)
- 9100 Patio (enhanced)

(Best)



Power Case

- 9500 Case



MANUAL PATIO AWNINGS

Mobile living made easy.



SUNCHASER & 8500 MANUAL PATIO AWNING

- 803 – **Sunchaser**, **OE only**
Single Sided Vinyl w/Vinyl Weathershield, Sandstone PH or Onyx PI only
- 848 – **8500** Double Sided Vinyl with Vinyl Weathershield
Single Sided Vinyl with Vinyl in Sandstone PH or Onyx PI only
- 858 – **8500** Double Side Vinyl with Metal Weathershield – no single sided option
- Dual torsion spring assembly for easy handling & minimal wrinkles in fabric
- 13.5 oz. single and double sided vinyl fabric
- Linen fade pattern only
- 8-25 foot lengths (1 foot increments)
- 8 foot extension
- Patio or carport position
- Hardware in Polar White or Black
- Cam lock at end of FRTA allows awning to stop in any extended position



9000 MANUAL PATIO AWNING

- 839 – **9000** Double Side Acrylic w/Metal Weathershield
- Dual torsion springs for easier handling & minimal wrinkles in fab
- Straight valence, not fluted
- 9.1 oz. double-sided woven acrylic fabric
- Solid colors only
- 8-25 foot lengths (1 foot increments)
- 8 foot extension
- Patio or carport position
- Hardware in Polar White or Black
- Cam lock at end of FRTA allows awning to stop in any extended position



Patio Position (shown)

HARDWARE FOR 8500 & 9000 SERIES MANUAL AWNINGS

- Tall 74" to 88" - 8273000.401(X)
- Short 64" to 76" - 8273000.402(X)
- ~~Tall/Short Combo... 8273000.408(X)~~ Discontinued in 2020
- ~~Tall Heavy Duty 74" to 88" - 8273000.501(X) - 21' & longer~~ Discontinued in 2020
- ~~Short Heavy Duty .. 64" to 76" - 8273000.502(X) - 21' & longer~~ Discontinued in 2020

Tip: Dealers can stock one set of each part number & color to cover the majority of customer requests.

Optima Tension Rafter System required on 21ft and longer, or voids warranty. Order the rafter and cradle separate.



Available in Black (U) or Polar White (B)

TRIMLINE BAG AWNING

- Poly cord is sewn in – slides into awning rail
- Durable, reinforced double-sided vinyl fabric
- Easy to setup
- Adjustable click-lock support poles
- Spring-loaded tension rafters
- 7 foot extension
- Bag stows neatly inside awning rail
- All parts stow neatly in weatherproof, zipper bag

- **944NT(YY).002 TRIM LINE**
944NR(YY).FJ1

(YY) = Awning Length

07 = 7'

08 = 8'

09 = 9'

10 = 10'

11 = 11'

12 = 12'

NT = Azure

NR = Onyx



TRIMLINE SCREEN ROOM

- Trimline Bag Awning Required
 - Attaches with Velcro
 - Available to fit all Trimline Bag Awnings
 - Folds up to store in its own durable pouch
 - Includes privacy panels
-
- **9472(YY).009** SCRN RM,TRIMLINE W/ PRVPNL

(YY) = awning length

07 = 7'


08 = 8'

09 = 9'

10 = 10'

11 = 11'

12 = 12'



DOMETIC MANUAL AWNING ADVANTAGES

- 8500 and 9000 series largest seller for over 40 years
- Same awning with different fabric e.g. vinyl (8500) acrylic (9000)
- Dual torsion springs
- Interchangeable hardware
- Carport or Patio Positions
- 13.5 oz. vinyl fabric
- 9.1 oz. acrylic fabric
- Numerous fabric colors




POWER PATIO AWNINGS

Mobile living made easy.




9100 POWER PATIO AWNING (ENHANCED LEVEL POWER)

- 910 Acrylic fabric w/Metal Weathershield
 - 910L LED in rail Acrylic fabric w/Metal Weathershield
 - 910T LED in tube Acrylic fabric w/Metal Weathershield
 - 917 Double-Sided Vinyl fabric w/Metal Weathershield
 - 917L LED in rail Double-Sided Vinyl fabric w/Metal Weathershield
 - 917T LED in tube Double-Sided Vinyl fabric w/Metal Weathershield
 - 915 Double-Sided Vinyl fabric w/Vinyl Weathershield
 - 915L LED in rail Double-Sided Vinyl fabric w/Vinyl Weathershield
 - 915T LED in tube Double-Sided Vinyl fabric w/Vinyl Weathershield
 - **Motor inside FRTA tube for improved speed & weather protection**
 - **13.5 oz.** single & double sided vinyl linen fade fabric only
 - 10-21 foot lengths (1 foot increments)
 - 8 foot extension
 - Hardware comes in polar white & black
 - Torsion spring on left side, motor on right side
 - Corrosion resistant, low-force slide adjustment hardware, with awning pick lock knob for low sun/rain protection
- Knee action design allows awning to flex in moderate wind
- Cannot be used in carport position
 - Manual override options: Auxiliary Power by connecting to motor wire harness, or Pull Strap Method requiring removal of 2 screws




9200 POWER PATIO AWNING

- 925 Double-Sided Vinyl fabric w/Vinyl Weathershield
925L LED Double-Sided Vinyl fabric w/Vinyl Weathershield
926 Single-Sided Vinyl fabric w/Vinyl Weathershield
926L LED Single-Sided Vinyl fabric w/Vinyl Weathershield
- **13.5 oz.** single & double sided vinyl linen fade fabric only
- 10-21 foot lengths (1 foot increments)
- 8 foot extension
- Hardware comes in polar white & black
- Corrosion resistant, low-force, slide adjustment hardware
- Knee action design allows awning to flex in moderate wind
- Awning pitch lock knob, for low sun or rain protection
- Cannot be used in carport position
- Easy to use manual override options



9200 and 9100 HARDWARE ANATOMY

-  ▪ Back Channel Arm
-  ▪ Main Arm
-  ▪ Secondary Arm
-  ▪ Rafter Arm
-  ▪ Gas Strut
- Nuts and bolts kit



9100 HARDWARE WITH & WITHOUT POWERCHANNEL RAIL

- **Reduced Pitch** (2°) with pre-installed 2ft. PowerChannel Rail – 8956003.400(X)
without PowerChannel Rail 8952003.400(X)

Used when less than 6 inches of space between awning rail and top of entry door
“BUT” no less than 4 inches

- **Standard** (13°) with pre-installed 2ft. PowerChannel Rail – 8954002.400(X)
without PowerChannel Rail 8952002.400(X)
- **Basement** (20°) with pre-installed 2ft. PowerChannel Rail – 8954001.400(X)
without PowerChannel Rail 8952001.400(X)

- Measurements are critical (see catalog for instructions)

- Available in Black (U) or White (B)


- **PowerChannel Rail** add-on (or) replacement

POWER CHANNEL RAIL KIT HDWR 3316622.001U – black 2' length

POWER CHANNEL RAIL KIT HDWR 3316622.001B – white 2' length

- Cannot order individual components of the hardware arms e.g. gas struts

Required to purchase the LEFT or the RIGHT side arm assembly, or both




9200 HARDWARE WITH & WITHOUT POWERCHANNEL RAIL

- **Reduced Pitch** (2°) with pre-installed 2ft. PowerChannel Rail – 8966003.400(X)
without PowerChannel Rail 8962003.400(X)

Used when less than 6 inches of space between awning rail and top of entry door
“BUT” no less than 4 inches

- **Standard** (13°) with pre-installed 2ft. PowerChannel Rail – 8964002.400(X)
without PowerChannel Rail 8962002.400(X)
- **Basement** (20°) with pre-installed 2ft. PowerChannel Rail – 8964001.400(X)
without PowerChannel Rail 8962001.400(X)

- Measurements are critical (see catalog for instructions)
- Available in Black (U) or White (B)
- **PowerChannel Rail** add-on (or) replacement
Part Number 3316622.001U – black 2' length
Part Number 3316622.001B – white 2' length
- Cannot order individual components of the hardware arms e.g. gas struts
Required to purchase the LEFT or the RIGHT side arm assembly, or both





CASE AWNING FAMILY

Mobile living made easy.



9500 POWER CASE AWNING

- 231 Double-Sided Vinyl Fabric w/Full Metal Case
 - 231L LED in rail, Double-Sided Vinyl Fabric w/Full Metal Case
- Solid Black (FJ) vinyl fabric only comes in 8' and 10' lengths
- Onyx (NR) & Sandstone (NS) vinyl fabrics come in 8', 10', 12', 13', 15' and 16'
- Black or White Case
- Remote comes standard with the awning – controls white LED on/off and brightness, wind sensor sensitivity, extend and retract
- Scissor style enclosed arms
- Full 8ft. extension



9500 MANUAL CASE AWNING

- 200 Vinyl Fabric Only w/Full Metal Case
No LED Model
- 8' & 10' lengths come with solid Black (FJ) vinyl fabric
- 8', 10' & 12' lengths with Onyx (NR) and Sandstone (NS) vinyl linen fade fabrics
- Black Hardware & Black Case 'only'
- Scissor style enclosed arms
- Full 8ft. extension



A dark, atmospheric landscape photograph of a rocky coastline. In the foreground, a large, craggy rock formation slopes down towards a body of water. Two small figures of people are visible on the left, standing on a higher part of the rock. The water is calm, reflecting the overcast sky. The background shows more rugged terrain and distant hills under a heavy, grey sky. The overall mood is serene and adventurous.

POWER AWNING ACCESSORIES

Mobile living made easy.

 **DOMETIC**

ENHANCE YOUR POWER PATIO AWNING WITH ACCESSORIES

Power Awning Pro Kit



- **Turn your** Dometic 9100, 9200, 9500 or any other 12vDC power patio awning in the market into a full featured awning
- Open/Close awning remotely from 100ft.
- Control awning's LED lights remotely
- Vibration sensor auto closes awning in high wind, adjust sensitivity
- Ignition interlock prevents accidental opening while the RVs ignition is active
- **3317115.005 Black 3317115.002 White**


* Interior Wall Control Switch is sold separate **3310455.062**

Power Wand Assembly



- **Easy upgrade from manual to power**
- Purchase and install a power awning
- Hassel free installation, no wiring in walls
- Use on any 12V power awning
- Lithium ion battery powered
- Includes 110V charger
- 50-60 awning operations on full battery
- **3316736.000 Complete Kit**
3316737.000 Replacement Battery

POWERCHANNEL RAIL & ACCESSORIES



Patented design for attaching the accessories to the rail
No visible wires, as the base connects with power inside rail

- Cohesive design, adjusted vertically & horizontally
- Mounts on 9200 & 9100 awning hardware
Mounts on internal & external flat surfaces
3316282.003U – 2' flat surface rail, in black (only)
- Back lit on/off switch
- Auto reset fuse
- Low amp draw



FAN
3316972.000



DUAL SPEAKER
3316974.000



SINGLE SPEAKER
3316973.000



USB CHARGER
3316977.000



SPOTLIGHT
3316975.000



FLOODLIGHT
3316976.000

A dark, atmospheric landscape photograph of a fjord. In the foreground, two people are silhouetted against the dark sky as they stand on a rocky cliff. The fjord below is a calm body of water, surrounded by steep, rocky cliffs. The sky is filled with dark, heavy clouds, creating a moody and dramatic scene.

AWNING FABRICS

Mobile living made easy.



DOMETIC WOVEN ACRYLIC AWNING FABRICS - 2021

Stocked: Solid Color, Double-Sided, 1-Piece

- Cadet Grey – Color Code AT
- Black – Color Code BN
- Linen Tweed – Color Code EE
- Charcoal Tweed – Color Code EU



Special Order (\$300 upcharge, 3+ weeks): Solid Color, Double-Sided, Paneled¹

- Forest Green – Color Code BL
- Burgundy – Color Code DA
- Natural – Color Code DD
- Linen – Color Code DM
- Taupe – Color Code DP
- Charcoal Grey – Color Code EK
- Logo Red – Color Code FB
- Marine Blue – Color Code KJ



¹ **Paneled** is made by welding multiple pieces of 60" wide acrylic fabric together horizontally to make one big panel which is then sewn into a fabric assembly

DOMETIC VINYL LINEN FADE AWNING FABRICS - 2021

Double-Sided

- White – Color Code CQ
- Black – Color Code FJ
- Sandstone – Color Code NS
- Azure – Color Code NT
- Bark – Color Code NU
- Maroon – Color Code NV
- Onyx – Color Code NR
- Meadow Green – Color Code NW

Single-Sided

(for OEM 803 and OE/AM 848 awnings)

- Onyx – Color Code PI
- Sandstone – Color Code PH



DOMETIC REPLACEMENT FABRICS

KEEP YOUR AWNING HARDWARE, BUT REFRESH YOUR FABRIC

- Dometic offers both acrylic and vinyl replacement fabric options
- To get the correct measurements, **measure the total fabric length of the old awning fabric**
- Dometic replacement fabrics **can be used with any Dometic or non-Dometic hardware**
- These fabrics come with a **built-in straight valance** and are **easy to install**. The **poly rope** sewn in at factory and allows the fabric to easily slide into the awning rail track
- Vinyl fabrics come in **solid & linen fade** colors
Vinyl fabrics are polyester reinforced for **added strength & dimensional stability**
Vinyl fabrics repel water, resist mildew, UV rays, cold cracking, flames and abrasions
- Woven acrylic fabrics come in **solid** colors
Premium acrylic fabrics (9.25 oz/sq. yard) **keep temperatures up to 20% cooler than vinyl** fabrics (13.5 oz/sq. yard)
Acrylic fabrics repel water, resist mildew, UV rays, color fading, abrasions and are easy to clean

A dark, atmospheric landscape photograph of a rocky coastline. In the foreground, a steep, rocky cliff slopes down towards a body of water. Two small figures of people are visible on the cliff's edge, looking out over the water. The water is calm and reflects the light from the sky. In the background, more rocky hills and a narrow fjord are visible, leading to a distant, hazy horizon. The overall tone is dark and moody, with a focus on the rugged beauty of the natural environment.


DOMETIC VALUE PROPOSITION COMPARISON CHART

DOMETIC VALUE PROPOSITION

Performance

Extensive Testing:

- 40 years of satisfied awning customers
- Wind tests up to 60 MPH
- Cycle testing (3000 cycles) for durability of fabric, hardware and motor
- Water and mildew resistant fabric materials
- Salt tests for hardware corrosion resistance
- Temperature tests (32° to 120°F) increasing or decreasing for 1-hour while awning cycles
- Motor speed, noise, cycles to failure testing



Features

- Broadest line of awnings in industry e.g. manual and power, patio, case, slidetoppers, window & door
- Fabric options: 13.5 oz vinyl & 9.1 oz. acrylic, colors
- Weathershield options: vinyl and metal
- Accessories: PowerChannel Rail & Accessories, Power Wand, Power Awning Pro Kit
- Durable “Tank” packaging on all single pack awning shipments (not distributor bulk packs)
- Easy to use pitch adjustment with lock knob (9100)
- Warranty: 1 Year Parts, Labor and Freight

Design/Materials

- Easy installation
- Durable corrosion resistant heavy duty extruded aluminum hardware
- Motor protected from elements, inside 9100 FRTA and 9200 HARDWARE
- Dual torsion springs in manual awnings,
- Torsion spring in 9100 power patio awning
- Safety e.g. Optima Tension Rafter, Cradles, Ignition Lock, Low Pinch Hardware, Lock Knob
- Quality fabrics 13.5 oz. premium embossed vinyl and 9.1 oz. woven acrylic
- Manual overrides if lose power

POWER AWNING COMPARISON CHART

Product Attribute	Dometic	Lippert Solera®	Carefree
Manufacturer or Reseller	Manufacturer 40+	Solera Reseller 10	Manufacturer 40+
Torsion Spring	Yes - 9100 Power Patio Awning	? – not mentioned	Yes
Awning Configurator	Yes	Yes	Yes
Awning Fabric Support Mechanism	Yes - Optima Tension Rafter	Yes - Awnbrella bows	Yes – Rafter Stabilizer
Large Awning Support Mechanism	Yes – Awning Cradle	Yes – Awning Cradle	Yes – Awning Cradle
Automatic Water Dump	Yes	Yes	Yes
Passed Cycle, Wind, Rain, Corrosion Tests	Yes	Yes	Yes
Awning Pitch Lock Knob	Yes – Standard	No	Yes – Canopy Clamp (Optional Accessory)
Premium 13.5oz Vinyl / Woven Acrylic Fabric	Yes / Yes	Yes / No	Yes / Yes
Colors / Weather Shield Types	10 Vinyl & 12 Acrylic / Vinyl & Metal Shields	9 Vinyl & 0 Acrylic / Vinyl Shields	16 Vinyl & 130 Acrylic / Vinyl & Metal Shields
LED Awning Lights	Yes	Yes	Yes
Innovative Packaging System	Yes – Tank Packaging (Single Pack)	Unknown	Yes – Reinforced Packaging
Awning Widths (~Length)	8 to 21ft	10 to 21ft	4 to 21 ft
Warranty	1-Year Parts, Labor, and Freight	1-Year Parts, Labor	1-Year Parts (online purchases only)
Remote Control / Wind Sensor Accessory	Yes - Power Awning Pro Kit	Yes	Yes
Integrated Hardware Power Supply	Yes – PowerChannel Rail & Accessories	Yes	Yes
Manual to Power Awning Conversion Kit	Yes – Power Wand	Yes	Yes
Bag Awning & Screen Room	Yes – Trim Line Bag Awning & Screen Room	No	Yes – Bag Awning
Companion Window & Door Awnings	Yes – Window Yes - Door	Yes – Window No-Door	Yes – Window Yes - Door
Speaker System	Yes – PowerChannel Hardware w/Speakers	Yes – Hardware w/Speaker Heads	Yes – Hardware w/Speakers



RV AFTERMARKET TOP SELLERS WHAT SHOULD I STOCK?

TOP SELLING AWNING PARTS

Even if you buy a lot from Distributor, you might consider a **starter kit** for beginning of season.

Buy direct, better price.

Awning Parts						
Ranking	Product Group Desc	Item Number	Legacy Item Num	Item Description	Coverage	
1	Parts Awnings	9108608891	830463P	PACKAGE ASM,SLIDER	37% of Volume	57% of Volume
2	Parts Awnings	9108608920	830644	REPL KIT,LIFT HANDLE UNIV HDWR		
3	Parts Awnings	3314067.004M	3314067.004M	KIT,SVC HARDWARE METALLIC		
4	Parts Awnings	9108677537	940001	ACCESSORY KIT,PULL STRAP		
5	Parts Awnings	9108608788	830152.102	ACCESS PKG,EZ PULL ROD 46" GRY		
6	Parts Awnings	3314067.004B	3314067.004B	KIT,SVC HARDWARE POLAR		77% of volume
7	Parts Awnings	3311575.000M	3311575.000M	KIT, LIFT HANDLE		
8	Parts Awnings	3310811.009M	3310811.009M	SVC KIT, FOOT DIE CAST-METALIC		
9	Parts Awnings	9108608892	830472P002	PACKAGE ASM,SLIDER		
10	Parts Awnings	3311578.001	3311578.001	KIT,KNOB ASM,SPT ARM .75 STUD		
11	Parts Awnings	3310423.209U	3310423.209U	DRIVE ASM, SVC PWR AWN- BLACK		77% of volume
12	Parts Awnings	3105278.126	3105278.126	KIT,TRAVEL LTCH SNCH NSTD 1-PC		
13	Parts Awnings	3310423.209B	3310423.209B	DRIVE ASM, SVC PWR AWN-PLR		
14	Parts Awnings	3315866.001	3315866.001	KIT,SVC BRACKET ASM		
15	Parts Awnings	9108684085	3313343	SVC KIT,TRAVEL LOCK,UNIV&SNCH+		
16	Parts Awnings	9600011005	3317085.000U	COVER,KIT R/A PWR AWN BLACK		
17	Parts Awnings	3108399.035	3108399.035	TORSION ASM,RH STD SERVICE		
18	Parts Awnings	3309924.003	3309924.003	KIT,SVC BALL END BASE(2PK)		
19	Parts Awnings	9108608922	830644.025	REPL KIT,LIFT HANDLE 25-PACK		
20	Parts Awnings	3309974.005B	3309974.005B	SVC KIT,RFTR ARM SEC 8M STD		
21	Parts Awnings	3308106.000M	3308106.000M	KIT, TOP BRACKET REPLACEMENT		
22	Parts Awnings	3315283.006	3315283.006	LED AWNING KIT 5M COOLWHITE		
23	Parts Awnings	3307834.006	3307834.006	ACCESSORY KIT,PULL STRAP 28"		
24	Parts Awnings	3313185	3313185	SRV KIT,TEN RFT BACK PLATE 4X5		
25	Parts Awnings	9108677344	930004	ACCESSORY PKG,AWNING ROLLER		

TOP SELLING AWNINGS

Not all dealers have the space to stock awnings. But if you do, this is what you should put on your shelves.

MANUAL awnings generally require more service, as they do not have the advantage of the gas strut to act as a mother nature shock absorber.

POWER awnings have a gas strut so there is less breakage.

Awnings (Manual & Power)						
Ranking	Product Group Desc	Item Number	Legacy Item Num	Item Description	Coverage	
1	Patio Awnings Manual	9600007675	848NT21.40TB	8500 POL AZURE 21'	12% of Volume	21% of Volume
2	Patio Awnings Manual	9600007622	848NS16.40TB	8500 POL SANDSTONE 16'		
3	Patio Awnings Manual	9600007672	848NT18.40TB	8500 POL AZURE 18'		
4	Patio Awnings Manual	9600007670	848NT16.40TB	8500 POL AZURE 16'		
5	Patio Awnings Manual	9600007621	848NS15.40TB	8500 POL SANDSTONE 15'		
6	Patio Awnings Manual	9600007673	848NT19.40TB	8500 POL AZURE 19'		
7	Patio Awnings Manual	9600007576	848NR18.40TB	8500 POL ONYX 18'		
8	Patio Awnings Manual	9600007624	848NS18.40TB	8500 POL SANDSTONE 18'		
9	Patio Awnings Manual	9600007674	848NT20.40TB	8500 POL AZURE 20'		
10	Patio Awnings Manual	9600007625	848NS19.40TB	8500 POL SANDSTONE 19'		
11	Patio Awnings Manual	9600007627	848NS21.40TB	8500 POL SANDSTONE 21'		34% of volume
12	Patio Awnings Manual	9600007574	848NR16.40TB	8500 POL ONYX 16'		
13	Patio Awnings Manual	9600007626	848NS20.40TB	8500 POL SANDSTONE 20'		
14	Patio Awnings Manual	9600007671	848NT17.40TB	8500 POL AZURE 17'		
15	Patio Awnings Manual	9600007579	848NR21.40TB	8500 POL ONYX 21'		
16	Patio Awnings Manual	9600007720	848NV18.40TB	8500 POL MAROON 18'		
17	Patio Awnings Manual	9600007578	848NR20.40TB	8500 POL ONYX 20'		
18	Patio Awnings Manual	9600007669	848NT15.40TB	8500 POL AZURE 15'		
19	Patio Awnings Manual	9600007577	848NR19.40TB	8500 POL ONYX 19'		
20	Patio Awnings Manual	9600007623	848NS17.40TB	8500 POL SANDSTONE 17'		
21	Patio Awnings Manual	9600007718	848NV16.40TB	8500 POL MAROON 16'		
22	Patio Awnings Manual	9600007723	848NV21.40TB	8500 POL MAROON 21'		
23	Patio Awnings Manual	9600007722	848NV20.40TB	8500 POL MAROON 20'		
24	Patio Awnings Electric	9108805189	915NR16.000B	PWR PATIO POL ONYX 16'		
25	Patio Awnings Electric	9108805191	915NR18.000B	PWR PATIO POL ONYX 18'		

TOP SELLING BAG AWNINGS

Does not take a lot of space to stock, a great product to offer since many have smaller trailers and campers.


Bag Awning					
Ranking	Product Group Desc	Item Number	Legacy Item Num	Item Description	Coverage
1	Bag Awnings	9108845978	944NT11.002	TRIM LINE AZURE 11'	50% of Volume
2	Bag Awnings	9108845976	944NT09.002	TRIM LINE AZURE 09'	
3	Bag Awnings	9108886268	944NR11.FJ1	TRIM LINE ONYX BLACK 11'	

TOP SELLING REPLACEMENT FABRICS

Worst case scenario, get 10 of these on your shelf, so for every 1 in 10 customers that walk in your door you have what they need

Dometic For Business eCommerce

1. Go to www.dometic.com/d4b
2. Select **SUPPORT** tab top of page
3. Select **Awning Fabric Replacement**



Replacement Fabrics						
Ranking	Product Group Desc	Item Number	Legacy Item Num	Item Description	Coverage	
1	Replacement Fabric	B3314989NS.416	B3314989NS.416	R/F UNIV POL SAND STONE 16'	19% of Volume	32% of Volume
2	Replacement Fabric	B3314989NT.416	B3314989NT.416	R/F UNIV POL AZURE 16'		
3	Replacement Fabric	B3314989NT.418	B3314989NT.418	R/F UNIV POL AZURE 18'		
4	Replacement Fabric	B3314989NS.418	B3314989NS.418	R/F UNIV POL SAND STONE 18'		
5	Replacement Fabric	B3314989NR.416	B3314989NR.416	R/F UNIV POL ONYX 16'		
6	Replacement Fabric	B3314989NR.418	B3314989NR.418	R/F UNIV POL ONYX 18'	57% of volume	
7	Replacement Fabric	B3314989NS.417	B3314989NS.417	R/F UNIV POL SAND STONE 17'		
8	Replacement Fabric	B3314989NS.415	B3314989NS.415	R/F UNIV POL SAND STONE 15'		
9	Replacement Fabric	B3314989NT.417	B3314989NT.417	R/F UNIV POL AZURE 17'		
10	Replacement Fabric	B3314989NS.419	B3314989NS.419	R/F UNIV POL SAND STONE 19'		
11	Replacement Fabric	B3314989NT.421	B3314989NT.421	R/F UNIV POL AZURE 21'		
12	Replacement Fabric	B3314989NS.420	B3314989NS.420	R/F UNIV POL SAND STONE 20'		
13	Replacement Fabric	B3314989NT.419	B3314989NT.419	R/F UNIV POL AZURE 19'		
14	Replacement Fabric	B3314989NR.420	B3314989NR.420	R/F UNIV POL ONYX 20'		
15	Replacement Fabric	B3314989NT.415	B3314989NT.415	R/F UNIV POL AZURE 15'		
16	Replacement Fabric	B3314989NR.415	B3314989NR.415	R/F UNIV POL ONYX 15'		
17	Replacement Fabric	B3314989NR.417	B3314989NR.417	R/F UNIV POL ONYX 17'		
18	Replacement Fabric	B3314989NR.419	B3314989NR.419	R/F UNIV POL ONYX 19'		
19	Replacement Fabric	B3314989NS.421	B3314989NS.421	R/F UNIV POL SAND STONE 21'		
20	Replacement Fabric	B3314989NR.421	B3314989NR.421	R/F UNIV POL ONYX 21'		
21	Replacement Fabric	B3314989NT.420	B3314989NT.420	R/F UNIV POL AZURE 20'		
22	Replacement Fabric	B3314989NS.414	B3314989NS.414	R/F UNIV POL SAND STONE 14'		
23	Replacement Fabric	T3106802CQ.600	T3106802CQ.600	R/F SLDTOP POLAR WHITE 50'		
24	Replacement Fabric	B3314989NR.414	B3314989NR.414	R/F UNIV POL ONYX 14'		
25	Replacement Fabric	B3314989NV.416	B3314989NV.416	R/F UNIV POL MAROON 16'		



MARKETING & SALES RESOURCES

MERCHANDISING WEBSITE


STEPS:

1. Go to www.dometic.com/d4b
2. Select **RESOURCES** top of page
3. Select **Recreational Vehicles**
4. Scroll down, select **Marketing Tools**
5. Select **Merchandising Site**
6. If a return site visitor ...
Enter email and password
Select **Log In**, enter credentials
(or)
If a first time site visitor ...
Select **Create New Account**
Enter requested information
Wait for email with login credentials

The screenshot shows the Dometic website's 'MARKETING TOOLS' page. The top navigation bar includes 'DOMETIC', 'PRODUCTS', 'QUICK ORDER', 'ACCOUNT', 'SUPPORT', and 'RESOURCES'. A search bar is located below the navigation. The main heading is 'MARKETING TOOLS'. Below this, a description states: 'Dometic offers various marketing tools including a Swag Site to obtain branded clothing, office accessories, drinkware and more. A Merchandising Site for in-store displays, tools and signage. A Literature Site for easy access and ordering of brochures, catalogs and other print collateral, and a link to the various full line Catalogs for product categories in both online and PDF formats.' There are four buttons: 'SWAG SITE', 'MERCHANDISING SITE' (highlighted with a black background), 'LITERATURE SITE', and 'CATALOGS'. Below these buttons, a yellow box contains the text: 'First time MERCHANDISING SITE visitors must select Create New Account and wait email with sign in credentials.' Another smaller text box below that says: 'First time LITERATURE SITE visitors must select Request A Login and wait email with sign in credentials.'

On the right side, there is a 'STORE LOGIN' section. It includes the Dometic logo and tagline 'Mobile living made easy.' Below this, it says 'STORE LOGIN ➔'. There are two input fields: 'Username or Email Address' and 'Password'. A checkbox labeled 'Remember Me' is present. Below the input fields are two buttons: 'Log In' and 'Create New Account' (highlighted with a red box and a red arrow). A 'Forgot Login/Password' link is also visible.

MERCHANDISING WEBSITE





POWER AWNING PRO SHELF DISPLAY

\$98.00

Counter display is a full color graphic front panel with black acrylic side panels. Approx 19.5"W x 9"H x 8.25"D. Designed with a built-in stand for the remote and clear acrylic card holder with (15) "Take One" cards. Each complete unit will be fitted with a Power Pro Awning Kit. Each unit will be individually packaged for shipping.

'Coming Soon' – Product Update. Shipping displays are temporarily on-hold.

190 in stock



1

ADD TO CART

SKU: 1046 Category: [Store Fixtures](#)

Additional information

ADDITIONAL INFORMATION

Dimensions 19.5 × 8.25 × 9 in

HANGING SIGNS

Showing all 5 results



12' AWNING HEADER

\$595.00



84" AWNING SELECTION CHART

Dometic FOR BUSINESS – B2B Customers

Videos

9100 Power Patio Awning
9200 Power Patio Awning
9500 Power Case Awning
PowerChannel Rail & Accessories
Power Awning Pro Kit
Power Wand

Leaflets

9100 Power Patio Awning
9200 Power Patio Awning
SlideToppers
PowerChannel Rail & Accessories
Power Awning Pro Kit
Power Wand

Feature Benefit Comparison

Dometic 9200 vs. LCI Solera
Dometic SlideToppers vs. LCI Solera

Buyers Guides

Awning Buyers Guide
Awning Replacement Fabric Brochure

Sales Training

Patio Awnings & Accessories – eTraining
Patio Awnings & Accessories – PPT
SlideToppers, Window & Door Awnings – eTraining
SlideToppers, Window & Door Awnings - PPT






ACCESS AT YOUR FINGERTIPS

Designed in part to making your RVing needs made easy! Please navigate at your leisure, the pages contain the following information:

- Climate - Air Conditioner, Awning, Fantastic Vent, Furnace & Slidetopper product literature.
- Food & Beverage - Cooktop, Powered Cooler, Range & Refrigerator product literature.
- Hygiene & Sanitation - Toilet & Water Heater product literature.
- Power & Control - Battery & Control Panel product literature.
- Marketing Tools - Access to Swag Site, Merchandizing Site, Literature Site & various Catalogs
- Photo, Video & Brand Tools - Access to Brand Portal, Media Bank, Dometic YouTube, Video Portal
- Stay Connected - Access to Dometic Facebook, Instagram, LinkedIn & our Dometic Capital Fund
- Training - Register for training and access past training sessions

Dometic FOR BUSINESS – B2B Customers

[Awning Assortment](#) | [Awning Configurator](#) | [Awning Resources](#)



VIDEOS



9100 Power Patio Awning



9200 Power Patio Awning



9500 Power Case Awning



PowerChannel Rail & Accessories



Power Awning Pro Kit



Power Wand

PRODUCT INFO

9100 POWERCHANNEL
AWNING

If simplicity is important, look no further than the Dometic 9100 Power Awning.

EASY TO USE
JUST TWEAK AND CLICK

ENJOY THE OUTDOORS
CONNECT MULTIPLE ACCESSORIES

POWERCHANNEL
AUTO WIND SENSOR

Mobile living made easy.

DOMETIC

FEATURES & BENEFITS

DOMETIC 9200
POWER PATIO AWNING

Domestic 9200 Power Awning offers simple operation, smart design and technical superiority. Durable and stylish vinyl fabric provides shaded comfort.

ONE PERSON
CONTROL

DURABLE

SLEEK DESIGN

The choice
is yours!

Domestic 9200 Series Power Awning features a newly designed motor, improved manual override and streamlined installation. Domestic is a proven leader in the industry and implements rigorous cycle and environmental testing to deliver durable and dependable awnings.

KEY BENEFITS

- New improved manual override for power outages
- Come in the industry standard 13.5 oz. fabric
- Are available in several colors

DOMETIC 9200 POWER PATIO AWNING (VS.) LIPPERT SOLERA AWNING	DOMETIC	LIPPERT	
Tool-Less Assembly	Domestic's patent pending design makes assembling the motor to the frame faster. Tool-less assembly is a snap. No screws to lose, no drilling & no cracked cases from overtightening.	YES	NO
Corrosion-Resistant Hardware	Domestic's tough, baked-on powder-coated exterior had NO rust after a 1000-hour salt spray test. The competitor's hardware showed red rust on critical pivot points after only 100 hours.	YES	NO
A "True" Universal Replacement	Domestic's 9200 Power Patio Awning is an "exact" replacement for the 9100 Patio Awning. The competitor's awning did NOT pass the hole-for-hole test on roller tubes or hardware only replacements.	YES	NO
Low-Force "Slide Adjustment" Hardware Design	Domestic's patented "low action" "slide adjustment" hardware design presents less pinching hazard than the competitor's hinged joint design.	YES	NO
Awning Pinch Lock Knob	Movable limits to LOCK-IN awning path, the competitor has no locking mechanism. Domestic's awning remained in place during wet tests, the competitor's awning did NOT hold its position beyond a slight breeze.	YES	NO
Innovative Packaging System	Domestic's logistic engineers designed a revolutionary awning packaging system which has significantly increased the delivery of storage-free awnings to our valued RV/Alumacraft customers.	YES	NO
Power Channel Accessory Rail	Optional add-on that conveniently taps into your awnings power source, hassle-free, easily enabling you to plug accessories like fans, LED lights & Speakers into the rail without extension cords.	YES	NO

Mobile living made easy.

DOMETIC

CLIMATE

DOMETIC 9200
POWER AWNING

Domestic 9200 Power Awning offers simple operation, smart design and technical superiority. Durable and stylish vinyl fabric provides shaded comfort.

ONE PERSON
CONTROL

DURABLE

SLEEK DESIGN

Mobile living made easy.

DOMETIC

DOMETIC PATIO AWNINGS, FABRICS & ACCESSORIES
DEALER TRAINING
FEBRUARY 2020

Mobile living made easy.

DOMETIC

DOMETIC PATIO AWNINGS, FABRICS & ACCESSORIES
DEALER TRAINING
FEBRUARY 2020

Mobile living made easy.

DOMETIC

FEATURES & BENEFITS

DOMETIC ELITE & DELUXE
SLIDETOPPERS

Domestic introduced the SlideToppers to the RV industry. Designed to protect adjacent rooms from dust, leaves, pollen, debris and creates shade for your discolor. Choose from the RV industry's most modern & innovative designs, switch to the better alternative!

EASY TO INSTALL

BATTERY POWERED

HASSLE FREE WIRING

The choice
is yours!

KEY BENEFITS

- Efficient operations and vast supplier network
- Easy installation
- Anti-Blow Device (Standard Equipment)

FEATURE	BENEFIT	DOMETIC	COMPETITION
3 SLIDETOPPER MODELS	Choose from our Premium Full Cover, Elite or Deluxe models. All models offer the same reliable protection.	YES	NO
SEPARATE MOUNTING HARDWARE	Domestic allows you to order the SlideToppers and hardware as individual components, so you can specify the mounting position (ie. standard 45° or 90° degrees), helping to reduce your inventory.	YES	NO
SLIDETOPPER LENGTH	Domestic offers our OEM customers SlideToppers up to 363" (30 ft. 3 inches), 14 feet longer than the competition. Domestic offers our Aftermarket customers all of the most common sizes to meet your customers' needs.	YES	NO
FABRIC WEIGHT	13.5 oz. vinyl fabric comes in black & white with a premium texture achieved via a custom embossing process.	YES	NO
WEATHERSHIELD OPTIONS	Protect your Domestic SlideToppers with our standard vinyl weathershield option or upgrade to a metal weathershield.	YES	NO
LEAK-RESISTANT SEAMS	Domestic's state-of-the-art welding process bonds vinyl for strong, leak-resistant seams. Our customers appreciate the clean professional finish.	YES	NO
DUAL TORSION SPRINGS	Domestic SlideToppers come standard with torsion springs on both ends, delivering more fabric tension than the competition.	YES	NO

Mobile living made easy.

DOMETIC

CLIMATE

DOMETIC POWER AWNING PRO
AWNING CONTROL SYSTEM

This awning control system works with most 12V power awnings on the market, allowing for remote operation up to 100 ft. (30 m) away from the awning. In addition to opening and closing the awning, the Power Awning Pro has a wind sensor for auto retraction in windy conditions as well as the ability to remotely control one auxiliary device, such as a power LED light.

UNIVERSAL DESIGN
FITS MOST 12V POWER AWNINGS

WIND SENSOR
SENSITIVITY ADJUSTMENT

REMOTE CONTROL
EASY TO PROGRAM

Mobile living made easy.

DOMETIC

LET THE MUSIC PLAY

DOMETIC

Add to your outdoor living enjoyment with a Domestic PowerChannel Speaker. It connects easily to both the PowerChannel and a Bluetooth music device. With this innovative solution you can add your favorite tunes to create the perfect atmosphere, wherever you are and whatever you are doing!

KEY BENEFITS

- Play songs wirelessly with the Bluetooth-enabled speakers
- Easy quarter turn fastening for Domestic awning accessories
- Use speaker simultaneously with other connected devices
- For use with the patented Domestic PowerChannel Awning

ADDITIONAL POWERCHANNEL ACCESSORIES:
ALL THE FUN NONE OF THE CORDS

1. DOMETIC POWERCHANNEL FAN
Make your awning shade even cooler with the Domestic PowerChannel Fan. Connects directly to PowerChannel Awning rail for easy, breezy comfort.

2. DOMETIC POWERCHANNEL DUAL SPEAKER
Turn on relaxing ambient music under your Domestic awning with this Bluetooth-enabled PowerChannel Dual Speaker.

3. DOMETIC POWERCHANNEL FLOODLIGHT
Enjoy your Domestic awning even in the darkest of nights with Domestic PowerChannel Floodlight. Enjoy the great outdoors no matter what time it is.

4. DOMETIC POWERCHANNEL SPOTLIGHT
Add some light to your card game, meal, while reading or any other entertainment activity with the Domestic PowerChannel Spotlight.

5. DOMETIC POWERCHANNEL USB CHARGER
Keep your electronic fully-charged with the Domestic PowerChannel USB Charger. Compatible with the Domestic PowerChannel Awning and Rail.

dometic.com

LS000 | REV 11/16/2017

CLIMATE

DOMETIC POWER WAND
ASSEMBLY

The Domestic Power Wand Assembly can easily allow Domestic 9100 or 9200 Power Awnings to be installed without the time and cost of altering your coach for hard wiring.

EASY TO INSTALL

BATTERY POWERED

HASSLE FREE WIRING

Mobile living made easy.

DOMETIC


Mobile living made easy.




Training
Presentation

Training
Recording

MANUALS & 9100 POWER AWNING MODEL BREAKDOWN



9200 POWER AWNING BREAKDOWN



A dark, atmospheric landscape photograph of a rocky coastline. In the foreground, a large, craggy rock formation slopes down towards a body of water. Two small figures of people are visible on the left, standing on a higher part of the rock. The water is calm, reflecting the dark sky. In the background, more rocky hills and a narrow fjord are visible under a heavy, overcast sky. The overall mood is serene and adventurous.

CUSTOMER SERVICE FAQs / RESPONSES

Issue & Resolution

Top Issue/Question: Why are the seams leaking water on my new awning?

Resolution/Direction: This is normal for a new awning. Dometic recommends the installer/owner apply paraffin wax across the holes left behind from the sewing needle. Our thread is a triple coated polyester thread developed specifically for outdoor use. It is Anti-fade, Anti-UV Bonded polyester sewing thread. Specially engineered for sewing in sail making, boat covers, awnings, tarpaulins and tents where continued exposure to natural sunlight is anticipated. This unique thread prevents color fade and retains strength after the sewing process and has a unique anti-wick surface coating that reduces seam leakage. The triple coating prevents water from wicking into the thread, but it also swells when wet to seal the hole created by the needle. The sewing thread is made of twisted, bonded, continuous filament polyester for strength and UV defense. It protects against severe weather and abrasion, which makes it a preferred choice for outdoor uses. The polyester thread is lubricated to prevent needle heat during sewing. It resists mildew, rot, and bleach for long-lasting cleanliness and looks.

Issue & Resolution

Top Issue/Question: Can I convert my MANUAL patio awning into a POWER patio awning?

Resolution/Direction: No, manual awnings generally come with 'manual' style hardware which will not accommodate the movement required by a power awning. Power awnings use a 'cantilever' style hardware which opens and closes when the power awning is extended or retracted. Attempting to convert a manual awning into a power awning will void the warranty. After purchasing your Dometic 9100 or 9200 power patio awning, we recommend you invest in the **Dometic Power Wand** which conveniently allows the Dometic 9100 and 9200 Power Awnings to be installed without the time and cost of altering your coach for hard wiring. The Power Wand installs in just minutes compared to the hours it would take to rewire your RV. This innovative solution saves you the expense and hassle of connecting 12 V power from your power source (battery or converter) to your power awning.

Issue & Resolution

Top Issue/Question: My Awning hardware gets stuck while being extended, and snaps open abruptly.

Resolution/Direction: Please see an Authorized Dometic Dealer/Service Center for the solution. Trained technicians can install a 'Bumper Assist Kit' to resolve prevent the hardware from binding.

Issue & Resolution

Top Issue/Question: My awning and/or slide topper fabric is sagging; how do I fix it?

Resolution/Direction: The solution depends on what is causing the issue. If, for instance, the Fabric Roller Tube is bent, you would only need a new Roller Tube but not the torsion springs or fabric. If the Fabric is stretched, you need a new replacement fabric. Please see an Authorized Dometic Dealer/Service Center for the solution.

Issue & Resolution

Top Issue/Question: Can a metal Weathershield be added to an awning that does not have one originally?

Resolution/Direction: No, a metal Weathershield cannot be attached to the existing fabric due to the number of poly cords. Awnings without metal Weathershields have '3' poly cords sewn into the fabric – 1 cord that attaches the fabric to the awning rail, and 2 that connect the fabric to the FRTA. Awnings with metal Weathershields have '5' poly cords sewn into the fabric – 1 cord that attaches the fabric to the awning rail, 2 that attach the metal Weathershield to the fabric and 2 that connect the fabric to the FRTA. New fabric containing a metal Weathershield can be attached to the existing awning rail.

Issue & Resolution

Top Issue/Question: How do I add LED lights to my awning?

Resolution/Direction: In order to add an LED light strip at the awning rail location, a new awning fabric made for LED light installations and an LED Rail Kit must be purchased and installed. LED lights cannot be added to awnings not originally built for LED lights (without replacing the fabric) as the diameter of the poly cord that would slide into the LED extrusion track is too large (1/4 inch). The diameter of the poly cord for awning fabrics built for LED lights is smaller in diameter so it can fit in to this reduced size track (3/16 inch). The extrusion track of the LED Rail Kit slides into the awning rail that is mounted to the RV thus reducing the diameter of the rail, the fabric then slides into the extrusion track itself via the smaller diameter poly cord sewn into the fabric.

Issue & Resolution

Top Issue/Question: How can I retract my power awning manually if the RV batteries are dead or the motor is not working?

Resolution/Direction: 9100 Power Patio Awning: refer to the Operations Manual for full detail and to avoid potential injury. This process will permanently disable your motor which will require you to see an Authorized Dealer/Service Center to properly fix the awning. If using auxiliary power method: loosen adjustable knobs, disconnect 12v power from RV to avoid shock hazard, disconnect 12v power to awning, unplug motor connector from hardware connector, connect 16-gauge wire leads to motor connector (matching black to black, red to red), disconnect power immediately after awning retracts. Using the pull strap method: loosen adjustable knobs on hardware, unplug motor connector from hardware connector, insert pull strap into utility slot of FRTA and slide to center of FRTA, hold pull strap firmly before removing screws at top of motor side casting, keep clear of arm assemblies to avoid pinch hazard, move pull strap left/right as awning retracts to avoid fabric crease, reinstall screws on top of motor casting AND manually secure the awning hardware to the side of coach using rope or ratchet straps before transportation to avoid awning from unraveling during travel. With the motor disengaged, the straps are the only thing that will prevent the awning from unraveling during travel. **9200 Power Patio Awning:** the 9200 cannot be manually retracted. There is an override drive at the top of the motor. Press the push-button release on the right-side motor cover, remove the nut cap and turn the manual override nut using a 3/8" socket wrench or electric drill until the awning is retracted. Remove the plastic motor cover, attach a hand drill and socket to retract the awning. Please see an Authorized Dometic Dealer/Service Center to repair the awning if necessary.

Top Issue/Question: Do I need STANDARD, BASEMENT or REDUCE PITCH awning hardware?

Resolution/Direction:

Step #1. Measure from top of door to the awning rail. This distance will tell you if you need Basement, Standard or Reduced Pitch Hardware.

a. These are the minimums needed to use STANDARD hardware:

(1) Under 6" - advisable not to use Power Awning, edge of door will scrape fabric

(2) Need 6" to install Power Awning with vinyl weathershield

(3) Need 7" to install Power Awning with metal weathershield

Note: Add 2" to the minimum needed if door is at or near center of awning*

b. These minimums are needed to use BASEMENT hardware:

(1) Need 11" to install Power Awning with vinyl weathershield

(2) Need 12" to install Power Awning with metal weathershield

Note: Add 2" to the minimum needed if door is at or near center of awning*

Top Issue/Question: Do I need STANDARD, BASEMENT or REDUCE PITCH awning hardware? (Cont'd)

Step #2. Want to know how high roller will be from the ground in the extended/out position? Do the math:

a. Measure distance from ground to awning rail () minus 18" = () this is the distance roller will be from ground on Standard hardware*

b. Measure distance from ground to awning rail () minus 36" = () this is the distance roller will be from ground on Basement and 5th Wheel hardware**

Knowing the above measurements will allow you to make the correct choice as to which model of hardware you want to use on your Power Awning installation.

* Must have minimum of 6" door to rail to use **Standard Hardware**

** Must have minimum of 11" door to rail to use **Basement Hardware**

*** Must have less than 6" (no less than 4") door to rail to use **Reduced Pitch Hardware**

DOMETIC SUPPORT

www.dometic.com/en-us/us/for-business

Technical Service and Warranty Return Authorization

Dometic brands (US): (800) 216-5115 or (888) 867-4188 Email: techservice@dometic.com

Dometic brands (Canada): (800) 576-6546

Atwood brands (866) 869-3118

Sealand brands (800) 321-9886

Environmental brands: (800) 542-2477 (Florida)

Claim Payment Information

Dometic/Atwood brands (888) 867-4188 Option 7

Sealand brand (800) 321-9886

Warranty: claimpayments@dometic.com

Freight Claim: freightclaims@dometic.com



^> DOMETIC MOBILE LIVING MADE EASY.

Mobile living made easy.

^> DOMETIC